




# **INNOVATION ELEGANCE FLEXIBILITY**

**THE CABINET THAT CHANGES CABINETS**





# MASTER

# CABINET MASTER

The idea was born in 2009: to reinvent the concept of the cabinet. To reinvent something you have to reinvent yourself. Fami has rethought its own Research & Development department with six new minds, mechanical and electronic engineers specialized in automation and project industrialization.

Drawer cabinet is designed to satisfy and adapt to customer needs. A product featuring unrivalled accuracy in production processes. A perfect combination of technology and functionality aimed at optimising workflows.

300  
prototypes

1.000.000  
tests

4 YEARS  
of  
development

4  
PATENTS

1

unique DESIGN model in the world

## 3 CLOSURE TYPES



KEY LOCK  
(KEY)



CODE LOCK  
(CODE)



CODE LOCK WITH REMOTE CONTROL  
(REMOTE)

## 2 EXTENSION TYPES



FLEXIBLE EXTRACTION  
92% = 100 kg  
96% = 75 kg  
100% = 50 kg



TELESCOPIC EXTRACTION  
100% = 200 kg

## 2 FREE SOFTWARE OPTIONS



LABEL CUSTOMISING



EVENT HISTORY DOWNLOAD  
FOR CODE LOCK


## 5 CHARACTERISTICS THAT MAKE IT UNIQUE



CLOSURE SYSTEMS ENSURING  
EFFICIENT ANTI-TAMPER PROTECTION



DRAWER VISUAL CONE 30% LARGER  
THAN FAMI STANDARD



INNOVATIVE VERTICAL MOVEMENT ANTI-  
TILT BAR, FOR LOWER-NOISE, MORE  
DURABLE OPERATION



DRAWER EXTENSION AND CAPACITY  
OPTIONS DIRECTLY SETTABLE BY  
CUSTOMER




CONFIGURABLE WITH HINGED DOORS  
SLIDING DOORS AND ROLLING SHUTTER

# TECHNICAL SPECIFICATIONS


## COLOURS

### CABINET

10 colours for the metal part




8 colours for plastic accessories



FRONT HANDLE

## CODE

### MASTER CABINET CODING




## VERTEBRATE BAR

### THE SYSTEM'S HEART AND BRAINS

The bar is an aluminium profile section that is always fixed and never rotates. The closing movement is obtained via blocks that move vertically – driven by one of the basic forces of physics: gravity.

The lighter the workload, the longer the component life. The bar has 25 mm pitch holes – allowing for a number of closure heads to be fitted. This allows access to drawers to be split into multiple groups. The division into groups is configurable in height.



## PATENTED

### MECHANICAL SYSTEM LOCK CYLINDER

**Transmission system from the lock cylinder to the head of the vertebrate bar with steel wire, with elastic sheath and linear movement.**

The cylinder lock is divided into 23 different series: each series has keys numbered from 1 to 160, for a total of 3,680 different combinations.

### PUSH TO OPEN- INDIVIDUAL DRAWER OPENING

Compared to traditional systems that require additional components on the front, the opening of drawers is a feature integrated in the cylinder. To open the drawers, it is enough to turn the key and press the lock cylinder. The fewer components in a given mechanism, the less likely the risk of breakdowns.



## PATENTED

## syCONTROL

Mechanical or electronic lock providing high anti-tamper protection.

### EVENT CONTROL SOFTWARE

Free reporting software downloadable from:  
[www.sylogik.com/sycontrol](http://www.sylogik.com/sycontrol).

Latest 1000 events displayed with date, time, user and event type.  
To be able to always control every opening and every access.

### ELECTRONIC SYSTEM

The numerical code lock controls the opening and closing of the vertebrate bar and of the door. It can manage up to 10 users with 3 to 8 digits numerical codes. The event history can be downloaded by connecting the keypad to the PC with a cable. Up to 10 remote controls are available on request.



## FREEDOM TO CONFIGURE


### FLEXIBLE EXTRACTION

New, simple extension guide with mechanical adjustment of the drawer rear stop in 3 different positions. It allows 3 different capacities to be obtained: 50, 75, 100 kg. A new telescopic guide can be mounted on the drawer.

#### syFLEX

Patented opening system allowing the user to customise extension and load capacity.

### PATENTED



	kg
92%	100
96%	75
100%	50

### TELESCOPIC EXTRACTION

New extraction guide (extraction 100%) that guarantees load capacity of 200 kg in 10 dimensions.



Drawers/retractable shelves of Master series can mount independently both flexible and telescopic extraction rails.


## WEB TO PRINT

The drawer front becomes a real visual interface.

- Customisable with design and decorative elements
- User Inputs: Labels for content description and classification
- User Outputs: Possibility of adding visual or descriptive messages on the handle

#### syFRONT

Free Web to Print service for customising the labels to be affixed to the handle of the cabinet.



### LABEL PRINTING SOFTWARE

- online and free
- it handles text, images, 8 types of barcode

- can be connected to (Excel) spreadsheets to print serial or progressive labels

  
smart solutions

[www.sylogik.com/syfront](http://www.sylogik.com/syfront)





 Customises A & B  
**FREE SOFTWARE**

Uses model A & B






# THE FIRST FRONT BEARING CABINET IN THE WORLD



THE SIMPLER A MECHANISM DESIGN,  
THE MORE EFFECTIVE ITS OPERATION

The plain guide has been extended as much as the closet. The front bearing has been moved beyond the front of the drawer. The result: a marked improvement in the drawer percentage extension and drawer volume use. The shadow cone is nil in the top drawers although these are adjusted to a 100 kg capacity.

## PATENTED



+ 30% compared to a traditional Fami cabinet



LARGER VISUAL CONE



# **SLIDING DOORS**





## ROLLING SHUTTER

See page 1380

## HINGED DOORS



# LOCKS



The cylinder lock controls the opening and closing of the vertebrate bar and the door. It is divided into 23 different series: each series has keys numbered from 1 to 160, for a total of 3,680 different combinations.

## ● FOR CABINETS WITHOUT WHEELS

Cylinder lock for opening and closing the drawers and the door by turning the key.



### C0

the lock serial number will be a random figure between 1 and 23  
all the keys will have a DIFFERENT numbering

### C1

the lock serial number will be choosed by the customer figure between 1 and 23  
all the keys will have a DIFFERENT numbering

### C2

the lock serial number will be choosed by the customer figure between 1 and 23  
all the keys will have a SAME numbering

## ● FOR CABINETS WITH WHEELS – Push To Open

Cylinder lock for opening and closing the drawers by turning the key. In the unlocking phase, the cylinder must be held down in order to open the drawer – avoiding its accidental opening when the cabinets are moving.



### S0

the lock serial number will be a random figure between 1 and 23  
all the keys will have a DIFFERENT numbering

### S1

the lock serial number will be choosed by the customer figure between 1 and 23  
all the keys will have a DIFFERENT numbering

### S2

the lock serial number will be choosed by the customer figure between 1 and 23  
all the keys will have the SAME numbering

## MASTER KEY ART. M 00 PF.. 0000 00 00



### CYLINDER LOCK FOR CABINET BODY

The master key will open all the locks of the same series between 1 and 23

### CYLINDER LOCK FOR HINGED DOORS

The master key will open all the locks of the same series between 1 and 23

ALL THE CYLINDER LOCK ARE AS STANDARD SUPPLIED WITH 2 KEYS





## LOCK WITH NUMERICAL CODE

The numerical code lock controls the opening and closing of the vertebrate bar and of the door. It can manage up to 10 users with 3 to 8 digits numerical codes and 10 additional users with remote control. The event history can be downloaded by connecting the keypad to the PC using a cable. Up to 10 remote controls are available on request.

### FOR CABINETS WITHOUT WHEELS

Numerical code lock for opening and closing the drawers and door.



E2	T2	P5
bar opening/closing management of up to 10 users codice numerical code from 3 to 8 digits event history download	bar + door opening/closing management of up to 10 users codice numerical code from 3 to 8 digits event history download	door opening/closing management of up to 10 users codice numerical code from 3 to 8 digits event history download
battery power	battery power	battery power

### FOR CABINETS WITH WHEELS – Push To Open

Keypad closure for opening and closing the drawers and the doors via a numerical code. In the unlocking phase, a special button must be pressed on the keypad, to ensure safety while the cabinets are moving.



P2	A1	P5
bar opening/closing management of up to 10 users codice numerical code from 3 to 8 digits event history download	bar + door opening/closing management of up to 10 users codice numerical code from 3 to 8 digits event history download	door opening/closing management of up to 10 users codice numerical code from 3 to 8 digits event history download
battery power	battery power	battery power

### REMOTE CONTROL FOR NUMERICAL CODE KEYPAD



**ART. M 00 VRC0 00 00 00 00**

Receiver module with remote control

**ART. M 00 VRC0 00 00 01 00**

Additional remote control



IN ORDER TO USE THE REMOTE CONTROL, IT IS NECESSARY TO COMBINE THE RECEIVER MODULE WITH THE NUMERICAL CODE LOCK



UPON REQUEST, AN ELECTRICALLY POWERED LOCK CAN BE SUPPLIED



# WHEELS

## STANDARD RUBBER

### STANDARD RUBBER FIXED WHEEL

ART.	Ø mm	load cap. kg	C mm
C RG BAC11 100	100	75	128
C RG BAC12 125	125	100	155



### STANDARD RUBBER FIXED WHEEL

ART.	Ø mm	load cap. kg	C mm
C RG BAC13 150	150	115	180
C RG BAC15 200	200	205	240



### STANDARD RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	load cap. kg	C mm
C RG DAC11 100	100	75	128
C RG DAC12 125	125	100	155



### STANDARD RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	load cap. kg	C mm
C RG DAC13 150	150	115	180
C RG DAC15 200	200	205	240



## NYLON

### NYLON FIXED WHEEL

ART.	Ø mm	load cap. kg	C mm
C RN BAD10 100	100	125	128
C RN BAD11 125	125	180	155



### NYLON FIXED WHEEL

ART.	Ø mm	load cap. kg	C mm
C RN BAD04 160	160	300	200



### NYLON SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	load cap. kg	C mm
C RN DAD10 100	100	125	128
C RN DAD11 125	125	180	155



### NYLON SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	load cap. kg	C mm
C RN DAD04 160	160	300	200



## NON-MARKING RUBBER

### NON-MARKING RUBBER FIXED WHEEL

ART.	Ø mm	load cap. kg	C mm
<b>C RG BPH22 125</b>	125	100	155



### NON-MARKING RUBBER FIXED WHEEL

ART.	Ø mm	load cap. kg	C mm
<b>C RG BPH25 160</b>	160	200	200



### NON-MARKING RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	load cap. kg	C mm
<b>C RG DPH22 125</b>	125	100	155



### NON-MARKING RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	load cap. kg	C mm
<b>C RG DPH25 160</b>	160	200	200



## ELASTIC RUBBER

### ELASTIC RUBBER FIXED WHEEL

ART.	Ø mm	load cap. kg	C mm
<b>C RG BCE15 125</b>	125	180	155



### ELASTIC RUBBER FIXED WHEEL

ART.	Ø mm	load cap. kg	C mm
<b>C RG BCE15 160</b>	160	300	200



### ELASTIC RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	load cap. kg	C mm
<b>C RG DCE15 125</b>	125	180	155



### ELASTIC RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	load cap. kg	C mm
<b>C RG DCE15 160</b>	160	300	200



# WHEELS

## POLYURETHANE

### POLYURETHANE FIXED WHEEL

ART.	Ø mm	load cap. kg	C mm
<b>C RN BDD31 125</b>	125	180	155



### POLYURETHANE FIXED WHEEL

ART.	Ø mm	load cap. kg	C mm
<b>C RN BDD44 160</b>	160	300	200



### POLYURETHANE SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	load cap. kg	C mm
<b>C RN DDD31 125</b>	125	180	155



### POLYURETHANE SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	load cap. kg	C mm
<b>C RN DDD44 160</b>	160	300	200



**A = WHEEL LOAD CAPACITY**

To calculate the capacity of the cabinet with wheels made of standard rubber, non-marking rubber and nylon with Ø 100 mm, apply the formula: (Ax3) - 55 kg. The capacity of the cabinet with wheels made of standard rubber, polyurethane and nylon with Ø 125 mm is 400 kg

To calculate the capacity of the cabinet with wheels made of standard rubber, non-marking rubber and nylon with Ø 100 mm, apply the formula: (Ax3) - 65 kg. The capacity of the cabinet with wheels made of standard rubber, polyurethane and nylon with Ø 125 mm is 400 kg

To calculate the cabinet capacity, apply the formula: (Ax3) - 120 kg  
WARNING: for safety reasons, the capacity of the cabinet with wheels may not exceed 600 kg

To calculate the cabinet capacity, apply the formula: (Ax3) - 170 kg  
WARNING: for safety reasons, the capacity of the cabinet with wheels may not exceed 600 kg

To calculate the cabinet capacity, apply the formula: (Ax3) - 65 kg  
WARNING: for safety reasons, the capacity of the cabinet with wheels may not exceed 600 kg

**18x27 EH**

**27x27 EH**

**36x27 EH**

**54x27 EH**

**27x36 EH**



#### A = WHEEL LOAD CAPACITY

## 36x36 EH

To calculate the cabinet capacity, apply the formula: (Ax3) - 140 kg

**WARNING:** for safety reasons, the capacity of the cabinet with wheels may not exceed 600 kg

## 45x36 EH

To calculate the cabinet capacity, apply the formula: (Ax3) - 160 kg

**WARNING:** for safety reasons, the capacity of the cabinet with wheels may not exceed 600 kg

## 54x36 EH

To calculate the cabinet capacity, apply the formula: (Ax3) - 180 kg

**WARNING:** for safety reasons, the capacity of the cabinet with wheels may not exceed 600 kg

## 64x36 EH

To calculate the cabinet capacity, apply the formula: (Ax3) - 200 kg

**WARNING:** for safety reasons, the capacity of the cabinet with wheels may not exceed 600 kg

## 78x36 EH

To calculate the cabinet capacity, apply the formula: (Ax3) - 220 kg

**WARNING:** for safety reasons, the capacity of the cabinet with wheels may not exceed 600 kg

# MASTER

408x573 mm



## METAL COLOURS

GREY RAL 7000 .01	GREEN RAL 6011 .02
BLUE RAL 5012 .04	GREY RAL 7035 .08
GREY WHITE RAL 9002 .1F	RUBY RED RAL 3003 .1G
GENTIAN BLUE RAL 5010 .34	PURE WHITE RAL 9010 .35
ANTHRACTITE GREY RAL 7016 .39	BLUE CAPRI RAL 5019 .48



● ART. M 12 A100 C0 10 AW 04  
H = 1000 mm - 7 drawers

## PLASTIC COLOURS

DARK GREY .M0	MEDITERRANEAN BLUE .M1	SKY BLUE .M2	GLAMOUR RED .M3

RED CARPET .M4	JUICE ORANGE .M5	SUNNY YELLOW .M6	FOREST GREEN .M7

PARTITIONING MATERIAL SEE PAGE 55/379

DRAWER PRE-SETTING KIT SEE PAGE 56

CONFIGURE YOUR CABINET FROM PAGE 43

## KEY



SHELF/  
DRAWER  
CAPACITY



SHELF/  
DRAWER  
EXTENSION



CABINET  
CLOSURE



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

H 400 mm



ART.	_UNLOCKED_	kg			
<b>M 12 A040 C0 10 02 04</b>	50-75-100	100-96-92%	key		
<b>M 12 A040 E2 10 02 04</b>	50-75-100	100-96-92%	code		

H 400 mm



ART.	_UNLOCKED_	kg			
<b>M 12 A040 C0 10 03 04</b>	50-75-100	100-96-92%	key		
<b>M 12 A040 E2 10 03 04</b>	50-75-100	100-96-92%	code		

H 600 mm



ART.	_UNLOCKED_	kg			
<b>M 12 A060 C0 10 20 04</b>	50-75-100	100-96-92%	key		
<b>M 12 A060 E2 10 20 04</b>	50-75-100	100-96-92%	code		

H 600 mm



ART.	_UNLOCKED_	kg			
<b>M 12 A060 C0 10 21 04</b>	50-75-100	100-96-92%	key		
<b>M 12 A060 E2 10 21 04</b>	50-75-100	100-96-92%	code		

H 600 mm



ART.	_UNLOCKED_	kg			
<b>M 12 A060 C0 10 22 04</b>	50-75-100	100-96-92%	key		
<b>M 12 A060 E2 10 22 04</b>	50-75-100	100-96-92%	code		

H 600 mm



ART.	_UNLOCKED_	kg			
<b>M 12 A060 C0 10 17 04</b>	50-75-100	100-96-92%	key		
<b>M 12 A060 T2 10 17 04</b>	50-75-100	100-96-92%	code		

# MASTER

408x573 mm

H 700 mm



ART.					
<b>M 12 A070 C0 10 34 04</b>	50-75-100	100-96-92%		key	
<b>M 12 A070 E2 10 34 04</b>	50-75-100	100-96-92%		code	

H 700 mm



ART.					
<b>M 12 A070 C0 10 31 04</b>	50-75-100	100-96-92%		key	
<b>M 12 A070 E2 10 31 04</b>	50-75-100	100-96-92%		code	

H 700 mm



door 425 mm	depth 598 mm				
ART.					
<b>M 12 A070 C0 10 30 04</b>	50-75-100	100-96-92%		key	
<b>M 12 A070 T2 10 30 04</b>	50-75-100	100-96-92%		code	

H 700 mm



door 600 mm	depth 598 mm				
ART.					
<b>M 12 A070 C0 10 36 04</b>	50-75-100	100-96-92%		key	
<b>M 12 A070 P5 10 36 04</b>	50-75-100	100-96-92%		code	

H 800 mm




ART.					
<b>M 12 A080 C0 10 56 04</b>	50-75-100	100-96-92%		key	
<b>M 12 A080 E2 10 56 04</b>	50-75-100	100-96-92%		code	

H 800 mm



door 425 mm	depth 598 mm				
ART.					
<b>M 12 A080 C0 10 57 04</b>	50-75-100	100-96-92%		key	
<b>M 12 A080 T2 10 57 04</b>	50-75-100	100-96-92%		code	

**H 1000 mm**

**H 1000 mm**


ART.					
<b>M12 A100 C010 AW 04</b>	50-75-100	100-96-92%	key		
<b>M12 A100 E210 AW 04</b>	50-75-100	100-96-92%	code		

door 625 mm

depth 598 mm

ART.					
<b>M12 A100 C010 BD 04</b>	50-75-100	100-96-92%	key		
<b>M12 A100 T210 BD 04</b>	50-75-100	100-96-92%	code		


**ART. M 12 A080 E214 NB 01**

SEE PAGE 287

# MASTER

434x647 mm

H 818 mm



4 drawers  
75  
75  
150  
200

ART.



**M 12 R060 SO 10 20 04**

50-75-100 100-96-92% key

**M 12 R060 P2 10 20 04**

50-75-100 100-96-92% code

Cabinet capacity 245 kg - Cabinet height without wheels mm 663

H 818 mm



5 drawers  
50  
75  
75  
100  
200

ART.



**M 12 R060 SO 10 21 04**

50-75-100 100-96-92% key

**M 12 R060 P2 10 21 04**

50-75-100 100-96-92% code

Cabinet capacity 245 kg - Cabinet height without wheels mm 663

H 918 mm



5 drawers  
75  
75  
150  
150  
150

ART.



**M 12 R070 SO 10 35 04**

50-75-100 100-96-92% key

**M 12 R070 P2 10 35 04**

50-75-100 100-96-92% code

Cabinet capacity 245 kg - Cabinet height without wheels mm 763

H 918 mm



2 drawers  
75  
100

retractable shelf

door 425 mm

ART.



**M 12 R070 SO 10 30 04**

50-75-100 100-96-92% key

**M 12 R070 A1 10 30 04**

50-75-100 100-96-92% code

Cabinet capacity 245 kg - Cabinet height without wheels mm 763



2 standard rubber swivel wheels with brake Ø 125 mm  
2 standard rubber fixed wheels Ø 125 mm

ART. M 12 A100 T2 16 NC 35

SEE PAGE 287



ART. M 12 R070 SO 11 35 35

SEE PAGE 287

## CONFIGURE YOUR CABINET

### EMPTY CABINET



Cabinet load capacity 3100 kg

	CHOOSE a height	CHOOSE a closure	CHOOSE a colour
M12	A040	C5	10 00
	HEIGHT	CLOSURE	COLOUR
	A040 400 mm (working dim. 300 mm)	X0 with no bar and no lock	01 RAL 7000
	A060 600 mm (working dim. 500 mm)	C5* senza serratura	02 RAL 6011
	A070 700 mm (working dim. 600 mm)	C0* KEY cylinder lock	1G RAL 3003
M12	A080 800 mm (working dim. 700 mm)	C1* KEY cylinder lock	1F RAL 9002
	A100 1000 mm (working dim. 900 mm)	C2* KEY cylinder lock	48 RAL 5019
		E2* CODE numerical code	39 RAL 7016
		T2* CODE numerical code	04 RAL 5012
			08 RAL 7035
			35 RAL 9010
			34 RAL 5010

\*COMPLETE WITH VERTEBRATE BAR

LOCKS SEE PAGE 31

### EMPTY CABINET

pre-set  
for wheels



WHEELS  
SEE PAGE  
33

	HEIGHT	CLOSURE	COLOUR
M12	R060 663 mm (working dim. 500 mm)	S0 KEY cylinder lock	01 RAL 7000
	R070 763 mm (working dim. 600 mm)	S1 KEY cylinder lock	02 RAL 6011
		S2 KEY cylinder lock	1G RAL 3003
M12		P2 CODE numerical code	1F RAL 9002
		A1 CODE numerical code	48 RAL 5019
			39 RAL 7016
			04 RAL 5012
			08 RAL 7035
			35 RAL 9010
			34 RAL 5010

COMPLETE WITH VERTEBRATE BAR, 4-EDGE SHELF WITH PVC TOP, PAIR OF HANDLES, PAIR OF PLATES FOOTPRINT  
Overall dim. mm 434x647


**FLEXIBLE EXTRACTION DRAWERS**

ART. WITH Dark Grey plastic kit	ART. NO plastic kit*	Usable dim. mm	Front H mm	kg		
M 12 C050 0110 OF	M 12 C050 0100 OF	294x447x31 H	50	50 - 75 - 100	100% - 96% - 92%	
M 12 C075 0110 OF	M 12 C075 0100 OF	294x447x56 H	75	50 - 75 - 100	100% - 96% - 92%	
M 12 C100 0110 OF	M 12 C100 0100 OF	294x447x81 H	100	50 - 75 - 100	100% - 96% - 92%	
M 12 C125 0110 OF	M 12 C125 0100 OF	294x447x106 H	125	50 - 75 - 100	100% - 96% - 92%	
M 12 C150 0110 OF	M 12 C150 0100 OF	294x447x131 H	150	50 - 75 - 100	100% - 96% - 92%	
M 12 C200 0110 OF	M 12 C200 0100 OF	294x447x181 H	200	50 - 75 - 100	100% - 96% - 92%	
M 12 C250 0110 OF	M 12 C250 0100 OF	294x447x231 H	250	50 - 75 - 100	100% - 96% - 92%	
M 12 C300 0110 OF	M 12 C300 0100 OF	294x447x281 H	300	50 - 75 - 100	100% - 96% - 92%	

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW


**TELESCOPIC EXTRACTION DRAWERS**

ART. WITH Dark Grey plastic kit	ART. NO plastic kit*	Usable dim. mm	Front H mm	kg		
M 12 C075 0110 OT	M 12 C075 0100 OT	294x447x56 H	75	200	100%	
M 12 C100 0110 OT	M 12 C100 0100 OT	294x447x81 H	100	200	100%	
M 12 C125 0110 OT	M 12 C125 0100 OT	294x447x106 H	125	200	100%	
M 12 C150 0110 OT	M 12 C150 0100 OT	294x447x131 H	150	200	100%	
M 12 C200 0110 OT	M 12 C200 0100 OT	294x447x181 H	200	200	100%	
M 12 C250 0110 OT	M 12 C250 0100 OT	294x447x231 H	250	200	100%	
M 12 C300 0110 OT	M 12 C300 0100 OT	294x447x281 H	300	200	100%	

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW

## PLASTIC KIT FOR EXTENSIBLE DRAWERS AND SHELVES



PLASTIC COLOURS	ART.
	M 10 PLS1 00 00 00 M1
	M 10 PLS1 00 00 00 M2
	M 10 PLS1 00 00 00 M3
	M 10 PLS1 00 00 00 M4
	M 10 PLS1 00 00 00 M5
	M 10 PLS1 00 00 00 M6
	M 10 PLS1 00 00 00 M7

# MASTER

408x573 mm



## FLEXIBLE EXTENSIBLE SHELVES

ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*	Usable dim. mm	Front H mm	kg	Extension
M 12 C057 0110 OF __	M 12 C057 0100 OF __	294x447	70	50 - 75 - 100	100% - 96% - 92%

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



## TELESCOPIC EXTENSIBLE SHELVES

ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*	Usable dim. mm	Front H mm	kg	Extension
M 12 C057 0110 OT __	M 12 C057 0100 OT __	294x447	70	200	100%

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



## ADJUSTABLE SHELF

ART.	Usable dim. mm	Total H mm	kg
M 12 PR25 00 00 01 __	351x478	60	70

CAN BE FITTED FRONTALLY TO THE VERTEBRATE BAR

## PLASTIC PARTS KIT FOR EXTENSIBLE DRAWERS AND SHELVES



PLASTIC COLOURS	ART.
MEDITERRANEAN BLUE	M 10 PLS1 00 00 00 M1
SKY BLUE	M 10 PLS1 00 00 00 M2
GLAMOUR RED	M 10 PLS1 00 00 00 M3
RED CARPET	M 10 PLS1 00 00 00 M4
JUICY ORANGE	M 10 PLS1 00 00 00 M5
SUNNY YELLOW	M 10 PLS1 00 00 00 M6
FOREST GREEN	M 10 PLS1 00 00 00 M7



ART. M 12 R070 S0 11 35 35

SEE PAGE 287

 HINGED DOORS WITH CYLINDER

## FULL HEIGHT HINGED DOOR - REVERSIBLE



CABINET HEIGHT mm	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
600	<b>C0</b> KEY cylinder lock	M 10 P050 C0 10 00 ...	M 10 P050 C0 00 00 ...
	<b>C1</b> KEY cylinder lock	M 10 P050 C1 10 00 ...	M 10 P050 C1 00 00 ...
	<b>C2</b> KEY cylinder lock	M 10 P050 C2 10 00 ...	M 10 P050 C2 00 00 ...
700	<b>C0</b> KEY cylinder lock	M 10 P060 C0 10 00 ...	M 10 P060 C0 00 00 ...
	<b>C1</b> KEY cylinder lock	M 10 P060 C1 10 00 ...	M 10 P060 C1 00 00 ...
	<b>C2</b> KEY cylinder lock	M 10 P060 C2 10 00 ...	M 10 P060 C2 00 00 ...

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE RIGHT TABLE



THE DOOR MUST BE ASSOCIATED WITH CABINETS WITH **C5** CLOSURE (WITHOUT LOCK)  
OR **X0** CLOSURE (WITHOUT VERTEBRATE BAR AND WITHOUT LOCK)

## FULL HEIGHT HINGED DOOR - REVERSIBLE



DOOR FOOTPRINT H mm	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
425	<b>C0</b> KEY cylinder lock	M 10 P042 C0 10 01 ...	M 10 P042 C0 00 01 ...
	<b>C1</b> KEY cylinder lock	M 10 P042 C1 10 01 ...	M 10 P042 C1 00 01 ...
	<b>C2</b> KEY cylinder lock	M 10 P042 C2 10 01 ...	M 10 P042 C2 00 01 ...
525	<b>C0</b> KEY cylinder lock	M 10 P052 C0 10 01 ...	M 10 P052 C0 00 01 ...
	<b>C1</b> KEY cylinder lock	M 10 P052 C1 10 01 ...	M 10 P052 C1 00 01 ...
	<b>C2</b> KEY cylinder lock	M 10 P052 C2 10 01 ...	M 10 P052 C2 00 01 ...
625	<b>C0</b> KEY cylinder lock	M 10 P062 C0 10 01 ...	M 10 P062 C0 00 01 ...
	<b>C1</b> KEY cylinder lock	M 10 P062 C1 10 01 ...	M 10 P062 C1 00 01 ...
	<b>C2</b> KEY cylinder lock	M 10 P062 C2 10 01 ...	M 10 P062 C2 00 01 ...

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE RIGHT TABLE

LOCKS SEE  
PAG. 31



# HINGED DOORS WITH NUMERICAL CODE

## FULL HEIGHT HINGED DOORS - RIGHT-HAND OPENING ONLY



CABINET HEIGHT mm	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
600		P5 CODE numerical code M 10 P050 P5 10 00 _ _	M 10 P050 P5 00 00 _ _
700		P5 CODE numerical code M 10 P060 P5 10 00 _ _	M 10 P060 P5 00 00 _ _

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW

THE DOOR MUST BE ASSOCIATED WITH CABINETS WITH **C5** CLOSURE (WITHOUT LOCK)  
OR **X0** CLOSURE (WITHOUT VERTEBRATE BAR AND WITHOUT LOCK)

## FULL HEIGHT HINGED DOOR - REVERSIBLE



DOOR FOOTPRINT H mm	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
425	<b>A4</b> handle without keypad	M 10 P042 A4 10 01 _ _	M 10 P042 A4 00 01 _ _
525	<b>A4</b> handle without keypad	M 10 P052 A4 10 01 _ _	M 10 P052 A4 00 01 _ _
625	<b>A4</b> handle without keypad	M 10 P062 A4 10 01 _ _	M 10 P062 A4 00 01 _ _

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW

THE DOOR MUST BE ASSOCIATED WITH CABINETS WITH THE FOLLOWING CLOSURES:  
USE THE **T2** LOCK FOR THE CABINET WITHOUT WHEELS  
USE THE **A1** LOCK FOR THE CABINET WITH WHEELS

## REMOTE CONTROL



ART.	
M 00 VRC0 00 00 00 00	Receiver module with remote control
M 00 VRC0 00 00 01 00	Additional Remote Control

## PLASTIC PARTS KIT FOR HINGED DOORS



PLASTIC COLOURS	ART. KEY	ART. CODE
	M 00 PLS0 00 00 20 M1	M 00 PLS0 00 00 21 M1
	M 00 PLS0 00 00 20 M2	M 00 PLS0 00 00 21 M2
	M 00 PLS0 00 00 20 M3	M 00 PLS0 00 00 21 M3
	M 00 PLS0 00 00 20 M4	M 00 PLS0 00 00 21 M4
	M 00 PLS0 00 00 20 M5	M 00 PLS0 00 00 21 M5
	M 00 PLS0 00 00 20 M6	M 00 PLS0 00 00 21 M6
	M 00 PLS0 00 00 20 M7	M 00 PLS0 00 00 21 M7

# MASTER

408x573 mm



## 3-EDGE TOP SHELF

ART.	dim. mm
<b>M 12 T023 AG 00 31 07</b>	408x573x23 H

Pvc coated shelf for SINGLE CABINET. Colour black



## 4-EDGE TOP SHELF

ART.	dim. mm
<b>M 12 T023 AG 00 41 07</b>	408x573x23 H

Pvc coated shelf for SINGLE CABINET. Colour black



**ART. M 00 T023 AG 00 FO 00**

CABINET TOP SHELF DRILLING FOR 4-EDGE SHELF FIXING



## MULTIPLEX TOP SHELF

ART.	dim. mm
<b>M 12 T040 MU 00 01 00</b>	408x573x40 H

For SINGLE CABINET



## MDF TOP SHELF DIM. 408x573x32 mm H

ART.	finishes	for cabinet
<b>M 12 T030 MD GM 21 07</b>	1 side profile	RH or LH final

MDF shelf with oil-proof top rubber coating. Colour black



OIL-PROOF  
RUBBER  
FINISHING



## MDF TOP SHELF DIM. 408x573x32 mm H

ART.	finishes	for cabinet
<b>M 12 T030 MD GM 11 07</b>	-	central

MDF shelf with oil-proof top rubber coating. Colour black



## MDF TOP SHELF DIM. 408x573x32 mm H


ART.	finishes	for cabinet
<b>M 12 T030 MD GM 01 07</b>	2 side profiles	single

MDF shelf with oil-proof top rubber coating. Colour black



**ART. M 00 T030 MD 00 FO 00**

CABINET TOP SHELF DRILLING FOR MDF AND MULTIPLEX SHELF FIXING  
INCLUDING FIXING SCREWS



MDF SHELF  
APPLICATION

## HEIGHT RAISING PLINTH 50 mm



ART.		dim. mm
M 12 Z050 00 00 00		406x572x50 H



## HEIGHT RAISING PLINTH 100 mm

ART.		dim. mm
M 12 Z100 00 00 00		406x572x100 H



# MASTER

408x573 mm

## STANDARD RUBBER FIXED WHEEL

ART.	Ø mm	cabinet capacity kg	C mm
<b>C RG BAC11 100</b>	100	170	128
<b>C RG BAC12 125</b>	125	245	155



## STANDARD RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	cabinet capacity kg	C mm
<b>C RG DAC11 100</b>	100	170	128
<b>C RG DAC12 125</b>	125	245	155



## NYLON FIXED WHEEL

ART.	Ø mm	cabinet capacity kg	C mm
<b>C RN BAD10 100</b>	100	320	128
<b>C RN BAD11 125</b>	125	400	155



## NYLON SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	cabinet capacity kg	C mm
<b>C RN DAD10 100</b>	100	320	128
<b>C RN DAD11 125</b>	125	400	155



# SPARE PARTS - FIXING

OTHER TYPES  
OF WHEELS  
SEE PAGE 33

## SPARE LOCK

**ART. M 00 CSR0 8800 00 00**

Spare lock with two keys



## SPARE KEY

**ART. M 00 CF00 0000 00 00**

Always specify the number indicated in the cylinder lock where you wish to replace the key



## MASTER KEY

**ART. M 00 PF.. 0000 00 00**

Available in 23 series, numbered from F 01 to F 23.

Master key series F 01

Master key series F 02

Master key series F ..

ART. M 00 PF01 00 00 00 00

ART. M 00 PF02 00 00 00 00

ART. M 00 PF.. 00 00 00 00

## CABINET-TO-CABINET FIXING SET

**ART. M 00 FISO 00 00 00 99**

Cabinet-to-cabinet fixing set with 4 screws complete with M8 nuts

**ART. M 00 SVRO 00 00 00 99**

Drilling and hardware for fixing two overlapping cabinets

## FLOOR FIXING SET



**ART. F AG 9200 00 99**

Pair of zinc-plated brackets for cabinet floor fixing

**ART. F AG 9204 00 99**

2 "HILTI" stud anchors suitable for non-cracked concrete floors ≥ class C20/25

Recommended anchor strength: 2.9 KN

Anchor diameter: Ø 6 mm



## SPARE HANDLE

**ART. M 00 PLS0 0000 22 MO**

Replacement door handle available in Dark Grey.



OTHER COLOURS  
ON REQUEST



THE CABINETS MUST BE FIXED TO A FLOOR OR WALL IF OVERLAPPING,  
THEY MUST BE FIXED EXCLUSIVELY TO WALLS AND THEIR CAPACITY DIVIDED BY TWO



# MASTER

408x573 mm

## Born To Be Extreme

**EMPTY CABINET** without vertebrate bar and without lock



M 12 A040 X0 10 00 \_ \_    M 12 A060 X0 10 00 \_ \_    M 12 A070 X0 10 00 \_ \_    M 12 A080 X0 10 00 \_ \_    M 12 A100 X0 10 00 \_ \_

### VERTEBRATE BAR



The vertebrate bar is a perforated extruded aluminium profile with 25 mm hole pitch for insertion of the anti-tilt spring. The anti-tilt bar is supplied complete with plastic accessories and a top structure designed for cylinder or electronic lock closure.

ART.	Working H (mm) for drawer insertion
M 00 V030 00 00 00 00	300
M 00 V050 00 00 00 00	500
M 00 V060 00 00 00 00	600
M 00 V070 00 00 00 00	700
M 00 V075 00 00 00 00	750
M 00 V090 00 00 00 00	900

### CYLINDER LOCK (KEY)



CYLINDER LOCK CLOSURE COMPLETE WITH:

- 1 cylinder lock with 2 keys
- 1 steel wire with sheath
- 1 front pin assembly
- 1 back pin assembly

ART.	
M 12 V000 C0 00 00 00	C0 CYLINDER LOCK WITH DIFFERENT NUMBERING
M 12 V000 C1 00 00 00	C1 CYLINDER LOCK FOR SETS OF 160 NUMBERS
M 12 V000 C2 00 00 00	C2 CYLINDER LOCK WITH SAME NUMBERING

## For Experts Only

### NUMERICAL CODE LOCK (CODE)



ART.

**M 12 V000 E2 00 00 00**

E2 BAR OPENING/CLOSING (battery power supply)

**M 12 V000 E5 00 00 00**

E5 BAR OPENING/CLOSING (mains power supply)

**M 12 V000 T2 00 00 00**

T2 DOOR + BAR OPENING/CLOSING (battery power supply)

**M 12 V000 T3 00 00 00**

T3 DOOR + BAR OPENING/CLOSING (mains power supply)

### ART. REMOTE CONTROL

**M 00 VRC0 00 00 00 00**

Receiver module with  
remote control



**M 00 VRC0 00 00 01 00**

Additional Remote Control

### SHELVES FOR LOCKS AND ADJUSTABLE SHELVES

#### TOP SHELF FOR LOCKS



ART.



Front H mm



**M 12 PS46 00 10 00** \_\_

46

150

Dim. mm 357x571x46 H

#### BOTTOM SHELF FOR LOCKS



ART.



Front H mm



**M 12 PS46 10 10 00** \_\_

46

150

Dim. mm 357x571x46 h

#### ADJUSTABLE SHELF



ART.



Total H mm



**M 12 PR25 00 00 01** \_\_

60

70

Usable dim. mm 351x478x60 H

#### SLOTTED ADJUSTABLE SHELF



ART.



Front H mm



**M 12 PR35 10 00 01** \_\_




35

100

Dim. mm 357x568x35 H

# 18x27 EH

# PARTITIONING MATERIAL



**ART.** for front height mm

**F FH 8205 02 00** 50 - 300

Set including: 3 partitions 4 grooves, 3 partitions 3 grooves, 16 plain partitions 36 mm, 7 plain partitions 47 mm

**ART.** for front height mm




**F FH 8205 03 00** 50 - 300

Set including: 3 partitions 3 grooves, 3 partitions 2 grooves, 15 plain partitions 47 mm, 8 plain partitions 73 mm

**ART.** for front height mm

**F FH 8205 04 00** 50 - 300

Set including: 6 partitions 2 grooves, 18 plain partitions 73 mm



**ART.** for front height mm

**FFH 8005 08 00** 50

**FFH 8007 08 00** 75

**FFH 8010 08 00** 100 - 125

**FFH 8015 08 00** 150

**FFH 8020 08 00** 200 - 250

**FFH 8030 08 00** 300

Set including: 1 slotted partition 455 mm,  
2 plain partitions 149 mm

**ART.** for front height mm

**FFH 8005 09 00** 50

**FFH 8007 09 00** 75

**FFH 8010 09 00** 100 - 125

**FFH 8015 09 00** 150

Set including: 2 slotted partitions 455 mm, 6 plain partitions 98 mm

**ART.** for front height mm

**F FH 8405 13 00** 50




**F FH 8407 13 00** 75

**F FH 8410 13 00** 100 - 125

**F FH 8415 13 00** 150

**F FH 8420 13 00** 200 - 250

Set including: 2 plain partitions 455 mm



**ART.** for front height mm

**F FH 8205 18 00** 50

**F FH 8207 18 00** 75

**F FH 8210 18 00** 100 - 125

Set including: 4 plastic boxes 150x75 mm,  
4 plastic boxes 150x150 mm

**ART.** for front height mm

**F FH 8205 17 00** 50

**F FH 8207 17 00** 75


Set including: 4 plastic boxes 75x75 mm, 6 plastic boxes 150x75 mm, 2 plastic boxes 150x150 mm

**ART.** for front height mm

**F FH 8605 19 00** 50 - 300

Set including: 2 multi-purpose supports 440 mm

## CONFIGURE A FAMI DRAWER WITH BETA TOOLS





### ART. F FH 0707 50 07

Drawer pre-setting kit for Beta thermoformed trays consisting of:  
no. 2 F HC 6471 00 07  
no. 1 F HA 3160 00 00

1 unit = 1 Beta thermoformed tray (367x147 mm)

2 unit = 1 Beta thermoformed tray (367x294 mm)

## EXAMPLES OF TERMOFORMED TRAY USE



# MASTER

561x573 mm



## METAL COLOURS

	GREY RAL 7000 .01		GREEN RAL 6011 .02
	BLUE RAL 5012 .04		GREY RAL 7035 .08
	GREY WHITE RAL 9002 .1F		RUBY RED RAL 3003 .1G
	GENTIAN BLUE RAL 5010 .34		PURE WHITE RAL 9010 .35
	ANTHRACTITE GREY RAL 7016 .39		BLUE CAPRI RAL 5019 .48



• ART. M 22 A100 C0 10 AZ 04  
H = 1000 mm - 7 drawers

## PLASTIC COLOURS

	DARK GREY .M0		MEDITERRANEAN BLUE .M1		SKY BLUE .M2		GLAMOUR RED .M3
	RED CARPET .M4		JUICE ORANGE .M5		SUNNY YELLOW .M6		FOREST GREEN .M7

PARTITIONING MATERIAL SEE PAGE 75/379

DRAWER PRE-SETTING KIT SEE 76

CONFIGURE YOUR CABINET FROM PAGE 65

## KEY



SHELF/  
DRAWER  
CAPACITY



SHELF/  
DRAWER  
EXTENSION



CABINET  
CLOSURE



! ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

**H 400 mm**

**H 400 mm**


ART.	W	kg	D	lock	
<b>M 22 A040 C0 10 04 04</b>	50-75-100	100-96-92%	key		
<b>M 22 A040 E2 10 04 04</b>	50-75-100	100-96-92%	code		

ART.	W	kg	D	lock	
<b>M 22 A040 C0 10 02 04</b>	50-75-100	100-96-92%	key		
<b>M 22 A040 E2 10 02 04</b>	50-75-100	100-96-92%	code		

**H 600 mm**

**H 600 mm**


ART.	W	kg	D	lock	
<b>M 22 A060 C0 10 20 04</b>	50-75-100	100-96-92%	key		
<b>M 22 A060 E2 10 20 04</b>	50-75-100	100-96-92%	code		

ART.	W	kg	D	lock	
<b>M 22 A060 C0 10 17 04</b>	50-75-100	100-96-92%	key		
<b>M 22 A060 T2 10 17 04</b>	50-75-100	100-96-92%	code		

**H 700 mm**

**H 700 mm**


ART.	W	kg	D	lock	
<b>M 22 A070 C0 10 31 04</b>	50-75-100	100-96-92%	key		
<b>M 22 A070 E2 10 31 04</b>	50-75-100	100-96-92%	code		

ART.	W	kg	D	lock	
<b>M 22 A070 C0 10 30 04</b>	50-75-100	100-96-92%	key		
<b>M 22 A070 T2 10 30 04</b>	50-75-100	100-96-92%	code		

# MASTER

561x573 mm

H 800 mm



ART.



**M 22 A080 C0 10 54 04**

50-75-100

100-96-92%

key

**M 22 A080 E2 10 54 04**

50-75-100

100-96-92%

code

H 800 mm



ART.



**M 22 A080 C0 10 56 04**

50-75-100

100-96-92%

key

**M 22 A080 E2 10 56 04**

50-75-100

100-96-92%

code

H 850 mm



ART.



**M 22 A085 C0 10 93 04**

50-75-100

100-96-92%

key

**M 22 A085 E2 10 93 04**

50-75-100

100-96-92%

code

H 850 mm



ART.



**M 22 A085 C0 10 94 04**

50-75-100

100-96-92%

key

**M 22 A085 E2 10 94 04**

50-75-100

100-96-92%

code

H 850 mm



ART.



**M 22 A085 C0 10 95 04**

50-75-100

100-96-92%

key

**M 22 A085 E2 10 95 04**

50-75-100

100-96-92%

code

H 850 mm



door 425 mm

depth 598 mm

ART.



**M 22 A085 C0 10 97 04**

50-75-100

100-96-92%

key

**M 22 A085 T2 10 97 04**

50-75-100

100-96-92%

code

H 1000 mm



H 1000 mm



door 625 mm

depth 598 mm

ART.					
<b>M 22 A100 C0 10 AZ 04</b>		50-75-100	100-96-92%	key	
<b>M 22 A100 E2 10 AZ 04</b>		50-75-100	100-96-92%	code	

ART.					
<b>M 22 A100 C0 10 BD 04</b>		50-75-100	100-96-92%	key	
<b>M 22 A100 T2 10 BD 04</b>		50-75-100	100-96-92%	code	



ART. M 22 A100 T2 16 BC 48

SEE PAGE 287

# MASTER

587x647 mm

H 818 mm



4 drawers  
75  
75  
150  
200

ART.



**M 22 R060 S0 10 20 04**

50-75-100

100-96-92% key

**M 22 R060 P2 10 20 04**

50-75-100

100-96-92% code

Cabinet capacity 235 kg - Cabinet height without wheels mm 663

H 818 mm



5 drawers  
50  
75  
75  
100  
200

ART.



**M 22 R060 S0 10 21 04**

50-75-100

100-96-92% key

**M 22 R060 P2 10 21 04**

50-75-100

100-96-92% code

Cabinet capacity 235 kg - Cabinet height without wheels mm 663

H 918 mm



5 drawers  
75  
75  
100  
150  
200

ART.



**M 22 R070 S0 10 31 04**

50-75-100

100-96-92% key

**M 22 R070 P2 10 31 04**

50-75-100

100-96-92% code

Cabinet capacity 235 kg - Cabinet height without wheels mm 763

H 918 mm



6 drawers  
50  
75  
75  
100  
100  
200

ART.



**M 22 R070 S0 10 32 04**

50-75-100

100-96-92% key

**M 22 R070 P2 10 32 04**

50-75-100

100-96-92% code

Cabinet capacity 235 kg - Cabinet height without wheels mm 763



2 standard rubber swivel wheels with brake Ø 125 mm  
2 standard rubber fixed wheels Ø 125 mm

H 1018 mm



ART.	€	kg	▼	🔒	
<b>M 22 R080 S0 10 54 04</b>	50-75-100	100-96-92%	key		
<b>M 22 R080 P2 10 54 04</b>	50-75-100	100-96-92%	code		

Cabinet capacity 235 kg - Cabinet height without wheels mm 863

H 1018 mm



ART.	€	kg	▼	🔒	
<b>M 22 R080 S0 10 56 04</b>	50-75-100	100-96-92%	key		
<b>M 22 R080 P2 10 56 04</b>	50-75-100	100-96-92%	code		

Cabinet capacity 235 kg - Cabinet height without wheels mm 863

H 1068 mm



ART.	€	kg	▼	🔒	
<b>M 22 R085 S0 10 93 04</b>	50-75-100	100-96-92%	key		
<b>M 22 R085 P2 10 93 04</b>	50-75-100	100-96-92%	code		

Cabinet capacity 235 kg - Cabinet height without wheels mm 913

H 1068 mm



ART.	€	kg	▼	🔒	
<b>M 22 R085 S0 10 94 04</b>	50-75-100	100-96-92%	key		
<b>M 22 R085 P2 10 94 04</b>	50-75-100	100-96-92%	code		

Cabinet capacity 235 kg - Cabinet height without wheels mm 913



2 standard rubber swivel wheels with brake Ø 125 mm  
2 standard rubber fixed wheels Ø 125 mm

# MASTER

587x647 mm

H 1218 mm



6 drawers  
75  
75  
100  
150  
200  
300

H 1218 mm



7 drawers  
100  
100  
100  
100  
150  
150  
200

ART.					
<b>M 22 R100 S0 10 AY 04</b>		50-75-100	100-96-92%	key	
<b>M 22 R100 P2 10 AY 04</b>		50-75-100	100-96-92%	code	

Cabinet capacity 235 kg - Cabinet height without wheels mm 1063

ART.					
<b>M 22 R100 S0 10 AZ 04</b>		50-75-100	100-96-92%	key	
<b>M 22 R100 P2 10 AZ 04</b>		50-75-100	100-96-92%	code	

Cabinet capacity 235 kg - Cabinet height without wheels mm 1063



2 standard rubber swivel wheels with brake Ø 125 mm  
2 standard rubber fixed wheels Ø 125 mm



ART. M ZA 0600 00 00 00 PA

SEE PAGE 287



**ART. M 22 A100 T2 16 BC 48**

SEE PAGE 287



**ART. M 22 R070 P2 10 NE 1F**

SEE PAGE 287

# MASTER

561x573 mm

## CONFIGURE YOUR CABINET

### CABINET EMPTY



Cabinet load capacity 3100 kg

	CHOOSE a height	CHOOSE a closure	CHOOSE a colour
M22	A040	C5	10 00
			01
	HEIGHT	CLOSURE	COLOUR
M22	A040 400 mm (working dim. 300 mm)	X0 with no bar and no lock	01 RAL 7000
	A060 600 mm (working dim. 500 mm)	C5* no lock	02 RAL 6011
	A070 700 mm (working dim. 600 mm)	C0* KEY cylinder lock	1G RAL 3003
	A080 800 mm (working dim. 700 mm)	C1* KEY cylinder lock	1F RAL 9002
	A085 850 mm (working dim. 750 mm)	C2* KEY cylinder lock	48 RAL 5019
	A100 1000 mm (working dim. 900 mm)	E2* CODE numerical code	39 RAL 7016
	A150 1500 mm (working dim. 1400 mm)	T2* CODE numerical code	04 RAL 5012
	A200 2000 mm (working dim. 1900 mm)		08 RAL 7035
			35 RAL 9010
			34 RAL 5010

\*COMPLETE WITH VERTEBRATE BAR

LOCKS SEE PAGE 31

### CABINET EMPTY

ready  
for wheels



WHEELS  
SEE  
PAGE 33

	HEIGHT	CLOSURE	COLOUR
M22	R060 663 mm (working dim. 500 mm)	S0 KEY cylinder lock	01 RAL 7000
	R070 763 mm (working dim. 600 mm)	S1 KEY cylinder lock	02 RAL 6011
	R080 863 mm (working dim. 700 mm)	S2 KEY cylinder lock	1G RAL 3003
	R085 913 mm (working dim. 750 mm)	P2 CODE numerical code	1F RAL 9002
	R100 1063 mm (working dim. 900 mm)	A1 CODE numerical code	48 RAL 5019
			39 RAL 7016
			04 RAL 5012
			08 RAL 7035
			35 RAL 9010
			34 RAL 5010

COMPLETE WITH VERTEBRATE BAR, 4-EDGE SHELF WITH PVC TOP, PAIR OF HANDLES, PAIR OF PLATES FOOTPRINT  
Overall dim. mm 587x647


**FLEXIBLE EXTRACTION DRAWERS**

ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*	Usable dim. mm	Front H mm	kg		
M 22 C050 0110 OF	M 22 C050 0100 OF	447x447x31 H	50	50 - 75 - 100	100% - 96% - 92%	
M 22 C075 0110 OF	M 22 C075 0100 OF	447x447x56 H	75	50 - 75 - 100	100% - 96% - 92%	
M 22 C100 0110 OF	M 22 C100 0100 OF	447x447x81 H	100	50 - 75 - 100	100% - 96% - 92%	
M 22 C125 0110 OF	M 22 C125 0100 OF	447x447x106 H	125	50 - 75 - 100	100% - 96% - 92%	
M 22 C150 0110 OF	M 22 C150 0100 OF	447x447x131 H	150	50 - 75 - 100	100% - 96% - 92%	
M 22 C200 0110 OF	M 22 C200 0100 OF	447x447x181 H	200	50 - 75 - 100	100% - 96% - 92%	
M 22 C250 0110 OF	M 22 C250 0100 OF	447x447x231 H	250	50 - 75 - 100	100% - 96% - 92%	
M 22 C300 0110 OF	M 22 C300 0100 OF	447x447x281 H	300	50 - 75 - 100	100% - 96% - 92%	

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW


**TELESCOPIC EXTRACTION DRAWERS**

ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*	Usable dim. mm	Front H mm	kg		
M 22 C075 0110 OT	M 22 C075 0100 OT	447x447x56 H	75	200	100%	
M 22 C100 0110 OT	M 22 C100 0100 OT	447x447x81 H	100	200	100%	
M 22 C125 0110 OT	M 22 C125 0100 OT	447x447x106 H	125	200	100%	
M 22 C150 0110 OT	M 22 C150 0100 OT	447x447x131 H	150	200	100%	
M 22 C200 0110 OT	M 22 C200 0100 OT	447x447x181 H	200	200	100%	
M 22 C250 0110 OT	M 22 C250 0100 OT	447x447x231 H	250	200	100%	
M 22 C300 0110 OT	M 22 C300 0100 OT	447x447x281 H	300	200	100%	

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW

## PLASTIC PARTS KIT FOR EXTENSIBLE DRAWERS AND SHELVES



PLASTIC COLOURS	ART.
	M 20 PLS1 00 00 00 M1
	M 20 PLS1 00 00 00 M2
	M 20 PLS1 00 00 00 M3
	M 20 PLS1 00 00 00 M4
	M 20 PLS1 00 00 00 M5
	M 20 PLS1 00 00 00 M6
	M 20 PLS1 00 00 00 M7



### FLEXIBLE RETRACTABLE SHELVES

ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*	Usable dim. mm	Front H mm	kg	Extension
M 22 C057 0110 OF	M 22 C057 0100 OF	447x447	70	50 - 75 - 100	100% - 96% - 92%

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



### TELESCOPIC RETRACTABLE SHELVES

ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*	Usable dim. mm	Front H mm	kg	Extension
M 22 C057 0110 OT	M 22 C057 0100 OT	447x447	70	200	100%

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



### ADJUSTABLE SHELF

ART.	Usable dim. mm	Total H mm	kg
M 22 PR25 00 00 01	504x478	60	70

CAN BE FITTED FRONTALLY TO THE VERTEBRATE BAR

### PLASTIC PARTS KIT FOR EXTENSIBLE DRAWERS AND SHELVES



PLASTIC COLOURS	ART.
MEDITERRANEAN BLUE	M 20 PLS1 00 00 00 M1
SKY BLUE	M 20 PLS1 00 00 00 M2
GLAMOUR RED	M 20 PLS1 00 00 00 M3
RED CARPET	M 20 PLS1 00 00 00 M4
JUICY ORANGE	M 20 PLS1 00 00 00 M5
SUNNY YELLOW	M 20 PLS1 00 00 00 M6
FOREST GREEN	M 20 PLS1 00 00 00 M7



ART. M 22 A150 C0 11 NA 50

SEE PAGE 287

 DOORS WITH CYLINDER

## FULL HEIGHT HINGED DOOR - REVERSIBLE



H CABINET MM	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
600	 <b>C0</b> KEY cylinder lock closure	M 20 P050 C0 10 00 __	M 20 P050 C0 00 00 __
	 <b>C1</b> KEY cylinder lock closure	M 20 P050 C1 10 00 __	M 20 P050 C1 00 00 __
	 <b>C2</b> KEY cylinder lock closure	M 20 P050 C2 10 00 __	M 20 P050 C2 00 00 __
700	 <b>C0</b> KEY cylinder lock closure	M 20 P060 C0 10 00 __	M 20 P060 C0 00 00 __
	 <b>C1</b> KEY cylinder lock closure	M 20 P060 C1 10 00 __	M 20 P060 C1 00 00 __
	 <b>C2</b> KEY cylinder lock closure	M 20 P060 C2 10 00 __	M 20 P060 C2 00 00 __

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE RIGHT TABLE



THE DOOR MUST BE ASSOCIATED WITH CABINETS WITH **C5** CLOSURE (WITHOUT LOCK)  
OR **X0** (WITHOUT VERTEBRATE BAR AND WITHOUT LOCK)

## PARTIAL HEIGHT HINGED DOORS - REVERSIBLE



DOOR FOOTPRINT H mm	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
425	 <b>C0</b> KEY cylinder lock closure	M 20 P042 C0 10 01 __	M 20 P042 C0 00 01 __
	 <b>C1</b> KEY cylinder lock closure	M 20 P042 C1 10 01 __	M 20 P042 C1 00 01 __
	 <b>C2</b> KEY cylinder lock closure	M 20 P042 C2 10 01 __	M 20 P042 C2 00 01 __
525	 <b>C0</b> KEY cylinder lock closure	M 20 P052 C0 10 01 __	M 20 P052 C0 00 01 __
	 <b>C1</b> KEY cylinder lock closure	M 20 P052 C1 10 01 __	M 20 P052 C1 00 01 __
	 <b>C2</b> KEY cylinder lock closure	M 20 P052 C2 10 01 __	M 20 P052 C2 00 01 __
625	 <b>C0</b> KEY cylinder lock closure	M 20 P062 C0 10 01 __	M 20 P062 C0 00 01 __
	 <b>C1</b> KEY cylinder lock closure	M 20 P062 C1 10 01 __	M 20 P062 C1 00 01 __
	 <b>C2</b> KEY cylinder lock closure	M 20 P062 C2 10 01 __	M 20 P062 C2 00 01 __

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE RIGHT TABLE

LOCKS SEE  
PAG. 31



# DOORS WITH Numerical code

## FULL HEIGHT HINGED DOORS - RIGHT-HAND OPENING ONLY



H CABINET MM	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
600	P5 CODE numerical code	M 20 P050 P5 10 00 _ _	M 20 P050 P5 00 00 _ _
700	P5 CODE numerical code	M 20 P060 P5 10 00 _ _	M 20 P060 P5 00 00 _ _

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW

THE DOOR MUST BE ASSOCIATED WITH CABINETS WITH **C5** CLOSURE (WITHOUT LOCK)  
OR **XO** (WITHOUT VERTEBRATE BAR AND WITHOUT LOCK)

## PARTIAL HEIGHT HINGED DOORS - REVERSIBLE



DOOR FOOTPRINT H mm	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
425	<b>A4</b> handle without keypad	M 20 P042 A4 10 01 _ _	M 20 P042 A4 00 01 _ _
525	<b>A4</b> handle without keypad	M 20 P052 A4 10 01 _ _	M 20 P052 A4 00 01 _ _
625	<b>A4</b> handle without keypad	M 20 P062 A4 10 01 _ _	M 20 P062 A4 00 01 _ _

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW

THE DOOR MUST BE ASSOCIATED WITH CABINETS WITH THE FOLLOWING CLOSURES:

USE THE **T2** LOCK FOR THE CABINET WITHOUT WHEELS

USE THE **A1** LOCK FOR THE CABINET WITH WHEELS

## REMOTE CONTROL



ART.	
M 00 VRC0 00 00 00 00	Receiver module with remote control
M 00 VRC0 00 00 01 00	Additional Remote Control

LOCKS  
SEE PAGE 31

## PLASTIC PARTS KIT FOR HINGED DOORS



PLASTIC COLOURS	ART. KEY	ART. CODE
MEDITERRANEAN BLUE	M 00 PLS0 00 00 20 M1	M 00 PLS0 00 00 21 M1
SKY BLUE	M 00 PLS0 00 00 20 M2	M 00 PLS0 00 00 21 M2
GLAMOUR RED	M 00 PLS0 00 00 20 M3	M 00 PLS0 00 00 21 M3
RED CARPET	M 00 PLS0 00 00 20 M4	M 00 PLS0 00 00 21 M4
JUICY ORANGE	M 00 PLS0 00 00 20 M5	M 00 PLS0 00 00 21 M5
SUNNY YELLOW	M 00 PLS0 00 00 20 M6	M 00 PLS0 00 00 21 M6
FOREST GREEN	M 00 PLS0 00 00 20 M7	M 00 PLS0 00 00 21 M7

# MASTER

561x573 mm



## 3-EDGE TOP SHELF

ART.	dim. mm
<b>M 22 T023 AG 00 31 07</b>	561x573x23 H

Pvc coated shelf for SINGLE CABINET. Black colour



## 4-EDGE TOP SHELF

ART.	dim. mm
<b>M 22 T023 AG 00 41 07</b>	561x573x23 H

Pvc coated shelf for SINGLE CABINET. Black colour



**ART. M 00 T023 AG 00 F0 00**

CABINET TOP SHELF DRILLING FOR 4-EDGE SHELF FIXING



## MULTIPLEX TOP SHELF

ART.	dim. mm
<b>M 22 T040 MU 00 01 00</b>	561x573x40 H

For SINGLE CABINET



## MDF TOP SHELF DIM. 561x573x32 mm H

ART.	finishes	for cabinet
<b>M 22 T030 MD GM 2107</b>	1 side profile	RH or LH final

MDF shelf with oil-proof top rubber coating. Black colour



OIL-PROOF  
RUBBER  
FINISHING



## MDF TOP SHELF DIM. 561x573x32 mm H

ART.	finishes	for cabinet
<b>M 22 T030 MD GM 1107</b>	-	central

MDF shelf with oil-proof top rubber coating. Black colour



## MDF TOP SHELF DIM. 561x573x32 mm H


ART.	finishes	for cabinet
<b>M 22 T030 MD GM 0107</b>	2 side profiles	single

MDF shelf with oil-proof top rubber coating. Black colour



**ART. M 00 T030 MD 00 F0 00**

CABINET TOP SHELF DRILLING FOR MDF AND MULTIPLEX SHELF FIXING  
INCLUDING FIXING SCREWS



MDF SHELF  
APPLICATION



## HEIGHT RAISING PLINTH 50 mm

ART.	dim. mm
<b>M 22 Z050 00 00 00 _ _</b>	559x572x50 H



## HEIGHT RAISING PLINTH 100 mm

ART.	dim. mm
<b>M 22 Z100 00 00 00 _ _</b>	559x572x100 H

**STANDARD RUBBER FIXED WHEEL**

ART.	Ø mm	cabinet capacity kg	C mm
C RG BAC11 100	100	160	128
C RG BAC12 125	125	235	155


**STANDARD RUBBER SWIVEL WHEEL WITH BRAKE**

ART.	Ø mm	cabinet capacity kg	C mm
C RG DAC11 100	100	160	128
C RG DAC12 125	125	235	155


**NYLON FIXED WHEEL**

ART.	Ø mm	cabinet capacity kg	C mm
C RN BAD10 100	100	310	128
C RN BAD11 125	125	400	155


**NYLON SWIVEL WHEEL WITH BRAKE**

ART.	Ø mm	cabinet capacity kg	C mm
C RN DAD10 100	100	310	128
C RN DAD11 125	125	400	155



# SPARE PARTS - FIXING

OTHER TYPES  
OF WHEELS  
SEE PAGE 33

**SPARE LOCK**
**ART. M 00 CSR0 8800 00 00**

Spare lock with two keys


**SPARE KEY**
**ART. M 00 CF00 0000 00 00**

Always specify the number indicated in the cylinder lock where you wish to replace the key


**MASTER KEY**
**ART. M 00 PF.. 0000 00 00**

Available in 23 series, numbered from F 01 to F 23.

Master key series F 01

Master key series F 02

Master key series F ...

ART. M 00 PF01 00 00 00 00

ART. M 00 PF02 00 00 00 00

ART. M 00 PF.. 00 00 00 00

**CABINET-TO-CABINET FIXING SET**
**ART. M 00 FISO 00 00 00 99**

Cabinet-to-cabinet fixing set with 4 screws complete with M8 nuts

**ART. M 00 SVRO 00 00 00 99**

Drilling and hardware for fixing two overlapping cabinets

**FLOOR FIXING SET**

**ART. F AG 9200 00 99**

Pair of zinc-plated brackets for cabinet floor fixing

**ART. F AG 9204 00 99**

 2 "HILTI" stud anchors suitable for non-cracked concrete floors  
 ≥ class C20/25 Recommended anchor strength: 2.9 KN  
 Anchor diameter: Ø 6 mm

**SPARE HANDLE**
**ART. M 00 PLS0 0000 22 M0**

Replacement door handle available in Dark Grey.


 OTHER COLOURS  
ON REQUEST


THE CABINETS MUST BE FIXED TO A FLOOR OR WALL IF OVERLAPPING,  
THEY MUST BE FIXED EXCLUSIVELY TO WALLS AND THEIR CAPACITY DIVIDED BY TWO

# MASTER

561x573 mm

## Born To Be Extreme

**EMPTY CABINET** without vertebrate bar and without lock



H 400 mm  
Useful H 300 mm



H 600 mm  
Useful H 500 mm



H 700 mm  
Useful H 600 mm



H 800 mm  
Useful H 700 mm



H 850 mm  
Useful H 750 mm

M 22 A040 X0 10 00 \_ \_

M 22 A060 X0 10 00 \_ \_

M 22 A070 X0 10 00 \_ \_

M 22 A080 X0 10 00 \_ \_

M 22 A085 X0 10 00 \_ \_

### VERTEBRATE BAR



The vertebrate bar is composed of an extruded aluminum profile spaced at a 25 mm interval to allow the insertion of a spring to prevent tipping the cabinet. The anti-tilt rod comes complete with plastic accessories and the upper structure designed for use with either the cylinder lock or the electronic lock.

ART.	Working H (mm) for drawer insertion
M 00 V030 00 00 00 00	300
M 00 V050 00 00 00 00	500
M 00 V060 00 00 00 00	600
M 00 V070 00 00 00 00	700
M 00 V075 00 00 00 00	750
M 00 V090 00 00 00 00	900

ART.	Working H (mm) for drawer insertion
M 00 V105 00 00 00 00	1050
M 00 V122 00 00 00 00	1225
M 00 V140 00 00 00 00	1400
M 00 V152 00 00 00 00	1525
M 00 V190 00 00 00 00	1900

### CYLINDER LOCK (KEY)



CYLINDER LOCK CLOSURE COMPLETE WITH:

- 1 cylinder lock with 2 keys
- 1 steel wire with sheath
- 1 front pin assembly
- 1 back pin assembly

ART.	
M 22 V000 C0 00 00 00	C0 CYLINDER LOCK WITH DIFFERENT NUMBERING
M 22 V000 C1 00 00 00	C1 CYLINDER LOCK FOR SETS OF 160 NUMBERS
M 22 V000 C2 00 00 00	C2 CYLINDER LOCK WITH SAME NUMBERING

## For Experts Only



H 1000 mm  
Useful H 900 mm



H 1500 mm  
Useful H 1400 mm



H 2000 mm  
Useful H 1900 mm



**M 22 A100 X0 10 00**

**M 22 A150 X0 10 00**

**M 22 A200 X0 10 00**

### NUMERICAL CODE LOCK



ART.

**M 22 V000 E2 00 00 00**

E2

BAR OPENING/CLOSING (battery power supply)

**M 22 V000 E5 00 00 00**

E5

BAR OPENING/CLOSING (mains power supply)

**M 22 V000 T2 00 00 00**

T2

DOOR + BAR OPENING/CLOSING (battery power supply)

**M 22 V000 T3 00 00 00**

T3

DOOR + BAR OPENING/CLOSING (mains power supply)

### ART. REMOTE CONTROL

**M 00 VRC0 00 00 00 00**

Receiver module with  
remote control



**M 00 VRC0 00 00 01 00**

Additional Remote Control

### SHELVES FOR LOCKS AND ADJUSTABLE SHELVES

#### TOP SHELF FOR LOCKS



ART.



Front H mm



**M 22 PS46 00 10 00**

46

150

Dim. mm 510x571x46 H

#### BOTTOM SHELF FOR LOCKS



ART.



Front H mm



**M 22 PS46 10 10 00**

46

150

Dim. mm 510x571x46 H

#### ADJUSTABLE SHELF



ART.



Total H mm



**M 22 PR25 00 00 01**

60

70

Usable dim. mm 504x478x60 H

#### SLOTTED ADJUSTABLE SHELF



ART.



Front H mm




**M 22 PR35 10 00 01**

35

100


Dim. mm 510x568x35 H

**27x27 EH****PARTITIONING MATERIAL**

ART. for front height mm

**F FH 8405 02 00** 50 - 300


Set including: 3 partitions 4 grooves, 6 partitions 3 grooves, 16 plain partitions 36 mm, 7 plain partitions 47 mm



ART. for front height mm

**F FH 8405 03 00** 50 - 300


Set including: 3 partitions 3 grooves, 6 partitions 2 grooves, 15 plain partitions 47 mm, 8 plain partitions 73 mm



ART. for front height mm

**F FH 8405 04 00** 50 - 300


Set including: 9 partitions 2 grooves, 18 plain partitions 73 mm



ART. for front height mm

**FFH 8405 08 00** 50**FFH 8407 08 00** 75**FFH 8410 08 00** 100 - 125**FFH 8415 08 00** 150**FFH 8420 08 00** 200 - 250**FFH 8430 08 00** 300


Set including: 2 slotted partitions 455 mm, 3 plain partitions 149 mm



ART. for front height mm

**F FH 8405 09 00** 50**F FH 8407 09 00** 75**F FH 8410 09 00** 100 - 125**F FH 8415 09 00** 150**F FH 8420 09 00** 200 - 250


Set including: 2 slotted partitions 455 mm, 7 plain partitions 149 mm



ART. for front height mm

**F FH 8405 13 00** 50**F FH 8407 13 00** 75**F FH 8410 13 00** 100 - 125**F FH 8415 13 00** 150**F FH 8420 13 00** 200 - 250


Set including: 2 plain partitions 455 mm



ART. for front height mm

**F FH 8405 17 00** 50**F FH 8407 17 00** 75


Set including: 8 plastic boxes 75x75 mm, 6 plastic boxes 150x75 mm, 4 plastic boxes 150x150 mm



ART. for front height mm

**F FH 8405 18 00** 50**F FH 8407 18 00** 75**F FH 8410 18 00** 100 - 125

Set including: 6 plastic boxes 150x75 mm, 6 plastic boxes 150x150 mm




ART. for front height mm

**F FH 8605 19 00** 50 - 300

Set including: 2 multi-purpose supports 440 mm

## CONFIGURE A FAMI DRAWER WITH BETA TOOLS



### ART. F FH 0807 50 07

Drawer pre-setting kit for Beta thermoformed trays consisting of:

no. 2 F HC 6071 00 07



no. 2 F HC 6471 00 07

no. 1 F HA 1121 00 99

1 unit = 1 Beta thermoformed tray (367x147 mm)

2 unit = 1 Beta thermoformed tray (367x294 mm)

## EXAMPLES OF TERMOFORMED TRAY USE



# MASTER

714x573 mm



## METAL COLOURS

	GREY RAL 7000 .01		GREEN RAL 6011 .02
	BLUE RAL 5012 .04		GREY RAL 7035 .08
	GREY WHITE RAL 9002 .1F		RUBY RED RAL 3003 .1G
	GENTIAN BLUE RAL 5010 .34		PURE WHITE RAL 9010 .35
	ANTHRACTITE GREY RAL 7016 .39		BLUE CAPRI RAL 5019 .48



• ART. M 32 A100 C0 10 AW 04

H = 1000 mm - 7 drawers

## PLASTIC COLOURS

DARK GREY .M0	MEDITERRANEAN BLUE .M1	SKY BLUE .M2	GLAMOUR RED .M3

RED CARPET .M4	JUICE ORANGE .M5	SUNNY YELLOW .M6	FOREST GREEN .M7

PARTITIONING MATERIAL SEE PAGE 107 / 379

DRAWER PRE-SETTING KIT SEE 108

CONFIGURE YOUR CABINET FROM PAGE 91

## KEY



SHELF/  
DRAWER  
CAPACITY



SHELF/  
DRAWER  
EXTENSION



CABINET  
CLOSURE



! ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

**H 400 mm**

 2 drawers  
 100  
 200

**H 400 mm**

 3 drawers  
 50  
 100  
 150

ART.	€	kg			
<b>M 32 A040 C0 10 04 04</b>	50-75-100	100-96-92%	key		
<b>M 32 A040 E2 10 04 04</b>	50-75-100	100-96-92%	code		

ART.	€	kg			
<b>M 32 A040 C0 10 01 04</b>	50-75-100	100-96-92%	key		
<b>M 32 A040 E2 10 01 04</b>	50-75-100	100-96-92%	code		

**H 600 mm**

 4 drawers  
 75  
 75  
 150  
 200

**H 600 mm**

 1 drawer  
 75  
 retractable shelf

door 425 mm	depth 598 mm
<b>ART.</b>	€
<b>M 32 A060 C0 10 20 04</b>	50-75-100
<b>M 32 A060 E2 10 20 04</b>	100-96-92%
	key
	code

**H 700 mm**

 4 drawers  
 100  
 100  
 100  
 300

**H 700 mm**

 5 drawers  
 75  
 75  
 100  
 150  
 200

ART.	€	kg			
<b>M 32 A070 C0 10 34 04</b>	50-75-100	100-96-92%	key		
<b>M 32 A070 E2 10 34 04</b>	50-75-100	100-96-92%	code		

ART.	€	kg			
<b>M 32 A070 C0 10 31 04</b>	50-75-100	100-96-92%	key		
<b>M 32 A070 E2 10 31 04</b>	50-75-100	100-96-92%	code		

# MASTER

714x573 mm

H 800 mm



ART.					
<b>M 32 A080 C0 10 54 04</b>	50-75-100	100-96-92%		key	
<b>M 32 A080 E2 10 54 04</b>	50-75-100	100-96-92%		code	

H 800 mm



door 425 mm					
<b>M 32 A080 C0 10 57 04</b>	50-75-100	100-96-92%		key	
<b>M 32 A080 T2 10 57 04</b>	50-75-100	100-96-92%		code	

H 850 mm



ART.					
<b>M 32 A085 C0 10 91 04</b>	50-75-100	100-96-92%		key	
<b>M 32 A085 E2 10 91 04</b>	50-75-100	100-96-92%		code	

H 850 mm



door 425 mm					
<b>M 32 A085 C0 10 97 04</b>	50-75-100	100-96-92%		key	
<b>M 32 A085 T2 10 97 04</b>	50-75-100	100-96-92%		code	



H 1000 mm



6 drawers  
150  
150  
150  
150  
150  
150

H 1000 mm



7 drawers  
75  
75  
100  
150  
150  
150  
200

ART.	↙	kg	⬇	🔒	
<b>M 32 A100 C0 10 BE 04</b>	50-75-100	100-96-92%	key		
<b>M 32 A100 C0 10 BF 04</b>	200	100%	key		
<b>M 32 A100 E2 10 BE 04</b>	50-75-100	100-96-92%	code		
<b>M 32 A100 E2 10 BF 04</b>	200	100%	code		

ART.	↙	kg	⬇	🔒	
<b>M 32 A100 C010 AW 04</b>	50-75-100	100-96-92%	key		
<b>M 32 A100 C0 10 BH 04</b>	200	100%	key		
<b>M 32 A100 E2 10 AW 04</b>	50-75-100	100-96-92%	code		
<b>M 32 A100 E2 10 BH 04</b>	200	100%	code		

H 1000 mm



9 drawers  
100  
100  
100  
100  
100  
100  
100  
100  
100

H 1000 mm



3 drawers  
50  
100  
125  
  
adjustable shelf  
  
retractable shelf

door 625 mm

depth 598 mm

ART.	↙	kg	⬇	🔒	
<b>M 32 A100 C0 10 BL 04</b>	50-75-100	100-96-92%	key		
<b>M 32 A100 C0 10 BM 04</b>	200	100%	key		
<b>M 32 A100 E2 10 BL 04</b>	50-75-100	100-96-92%	code		
<b>M 32 A100 E2 10 BM 04</b>	200	100%	code		

ART.	↙	kg	⬇	🔒	
<b>M 32 A100 C0 10 BD 04</b>	50-75-100	100-96-92%	key		
<b>M 32 A100 T2 10 BD 04</b>	50-75-100	100-96-92%	code		

# MASTER

714x598 mm

H 1023 mm



door 900 mm

ART.	VENT.	kg	EXT.	LOCK	
<b>M 32 A100 C0 10 BU 04</b>	50-75-100	100-96-92%	key		
<b>M 32 A100 C0 10 BV 04</b>	200	100%	key		
<b>M 32 A100 P5 10 BU 04</b>	50-75-100	100-96-92%	code		
<b>M 32 A100 P5 10 BV 04</b>	200	100%	code		

H 1023 mm



door 775 mm

\*flexible retraction

ART.	VENT.	kg	EXT.	LOCK	
<b>M 32 A100 C0 10 CL 04</b>	50-75-100	100-96-92%	key		
<b>M 32 A100 C0 10 CM 04</b>	200	100%	key		
<b>M 32 A100 T2 10 CL 04</b>	50-75-100	100-96-92%	code		
<b>M 32 A100 T2 10 CM 04</b>	200	100%	code		

H 1500 mm



depth 573 mm

ART.	VENT.	kg	EXT.	LOCK	
<b>M 32 A150 C0 10 FJ 04</b>	50-75-100	100-96-92%	key		
<b>M 32 A150 C0 10 FK 04</b>	200	100%	key		
<b>M 32 A150 E2 10 FJ 04</b>	50-75-100	100-96-92%	code		
<b>M 32 A150 E2 10 FK 04</b>	200	100%	code		

H 1500 mm



door 1400 mm

ART.	VENT.	kg	EXT.	LOCK	
<b>M 32 A150 C0 10 LC 04</b>	50-75-100	100-96-92%	key		
<b>M 32 A150 C0 10 LD 04</b>	200	100%	key		
<b>M 32 A150 P5 10 LC 04</b>	50-75-100	100-96-92%	code		
<b>M 32 A150 P5 10 LD 04</b>	200	100%	code		



# MASTER

714x573 mm

H 2000 mm



H 2000 mm



ART.					
<b>M 32 A200 C5 10 FU 04</b>	50-75-100	100-96-92%	-		
<b>M 32 A200 C5 10 FV 04</b>	200	100%	-		

ART.					
<b>M 32 A200 C0 10 FS 04</b>	50-75-100	100-96-92%	key		
<b>M 32 A200 C0 10 FT 04</b>	200	100%	key		
<b>M 32 A200 E2 10 FS 04</b>	50-75-100	100-96-92%	code		
<b>M 32 A200 E2 10 FT 04</b>	200	100%	code		



H 2000 mm



door 900 mm

ART.		kg			
<b>M 32 A200 C0 10 FY 04</b>	50-75-100	100-96-92%	key		
<b>M 32 A200 C0 10 FZ 04</b>	200	100%	key		
<b>M 32 A200 T2 10 FY 04</b>	50-75-100	100-96-92%	code		
<b>M 32 A200 T2 10 FZ 04</b>	200	100%	code		

H 2000 mm



door 1900 mm

ART.		kg			
<b>M 32 A200 C0 10 FW 04</b>	50-75-100	100-96-92%	key		
<b>M 32 A200 C0 10 FX 04</b>	200	100%	key		
<b>M 32 A200 P5 10 FW 04</b>	50-75-100	100-96-92%	code		
<b>M 32 A200 P5 10 FX 04</b>	200	100%	code		



# MASTER




**H 873 mm**


single door

depth 598 mm

ART.					
<b>M 32 D085 C010 GJ 04</b>		50-75-100	100-96-92%	key	
<b>M 32 D085 C010 GK 04</b>		200	100%	key	

**H 1023 mm**

**H 1023 mm**


single door

depth 598 mm

ART.					
<b>M 32 D100 C010 GQ 04</b>		50-75-100	100-96-92%	key	
<b>M 32 D100 C010 GR 04</b>		200	100%	key	

double door

ART.					
<b>M 32 D100 C010 GW 04</b>		50-75-100	100-96-92%	key	
<b>M 32 D100 C010 GX 04</b>		200	100%	key	

**H 1023 mm**

**H 1023 mm**


double door

ART.					
<b>M 32 D100 C010 HC 04</b>		50-75-100	100-96-92%	key	
<b>M 32 D100 C010 HD 04</b>		200	100%	key	

double door

ART.					
<b>M 32 D100 C010 JA 04</b>		50-75-100	100-96-92%	key	
<b>M 32 D100 C010 JB 04</b>		200	100%	key	

# MASTER

1428x623 mm

H 1500 mm



H 1500 mm



ART.		kg			
<b>M 32 D150 C0 10 JC 04</b>		50-75-100	100-96-92%	key	
<b>M 32 D150 C0 10 JD 04</b>		200	100%	key	

ART.		kg			
<b>M 32 D150 C0 10 JE 04</b>		50-75-100	100-96-92%	key	
<b>M 32 D150 C0 10 JF 04</b>		200	100%	key	

H 2000 mm



H 2000 mm



ART.		kg			
<b>M 32 D200 C0 10 JJ 04</b>		50-75-100	100-96-92%	key	
<b>M 32 D200 C0 10 JK 04</b>		200	100%	key	

ART.		kg			
<b>M 32 D200 C0 10 JL 04</b>		50-75-100	100-96-92%	key	
<b>M 32 D200 C0 10 JM 04</b>		200	100%	key	



SEE PAGE 287

# MASTER

788x599 mm

H 1068 mm



ART.



**M 32 R085 SO 10 AE 04**

50-75-100 100-96-92% key

**M 32 R085 P2 10 AE 04**

50-75-100 100-96-92% code

Cabinet capacity 180 kg - Cabinet height without wheels mm 913

H 1068 mm



ART.



**M 32 R085 SO 10 AG 04**

50-75-100 100-96-92% key

**M 32 R085 P2 10 AG 04**

50-75-100 100-96-92% code

Cabinet capacity 180 kg - Cabinet height without wheels mm 913

H 1218 mm



ART.



**M 32 R100 SO 10 AY 04**

50-75-100 100-96-92% key

**M 32 R100 P2 10 AY 04**

50-75-100 100-96-92% code

Cabinet capacity 180 kg - Cabinet height without wheels mm 1063

H 1218 mm



ART.



**M 32 R100 SO 10 AW 04**

50-75-100 100-96-92% key

**M 32 R100 P2 10 AW 04**

50-75-100 100-96-92% code

Cabinet capacity 180 kg - Cabinet height without wheels mm 1063



2 standard rubber swivel wheels with brake Ø 125 mm  
2 standard rubber fixed wheels Ø 125 mm



ART. M 32 R080 P2 12 NR FD

SEE PAGE 287

## CONFIGURE YOUR CABINET

### CABINET EMPTY



Cabinet load capacity 3100 kg

	CHOOSE a height	CHOOSE a closure	CHOOSE a colour
M32	A040	C5	10 00
	HEIGHT	CLOSURE	COLOUR
M32	A040 400 mm (working dim. 300 mm)	X0 with no bar and no lock	01 RAL 7000
	A060 600 mm (working dim. 500 mm)	C5* no lock	02 RAL 6011
	A070 700 mm (working dim. 600 mm)	C0* KEY cylinder lock	1G RAL 3003
	A080 800 mm (working dim. 700 mm)	C1* KEY cylinder lock	1F RAL 9002
	A085 850 mm (working dim. 750 mm)	C2* KEY cylinder lock	48 RAL 5019
	A100 1000 mm (working dim. 900 mm)	E2* CODE numerical code	39 RAL 7016
	A150 1500 mm (working dim. 1400 mm)	T2* CODE numerical code	04 RAL 5012
	A200 2000 mm (working dim. 1900 mm)		08 RAL 7035
			35 RAL 9010
			34 RAL 5010

\*COMPLETE WITH VERTEBRATE BAR

LOCKS SEE PAG. 31

### CABINET EMPTY

ready  
for wheels



WHEELS  
SEE  
PAGE 33

	HEIGHT	CLOSURE	COLOUR
M32	R060 663 mm (working dim. 500 mm)	S0 KEY cylinder lock	01 RAL 7000
	R070 763 mm (working dim. 600 mm)	S1 KEY cylinder lock	02 RAL 6011
	R080 863 mm (working dim. 700 mm)	S2 KEY cylinder lock	1G RAL 3003
	R085 913 mm (working dim. 750 mm)	P2 CODE numerical code	1F RAL 9002
	R100 1063 mm (working dim. 900 mm)	A1 CODE numerical code	48 RAL 5019
			39 RAL 7016
			04 RAL 5012
			08 RAL 7035
			35 RAL 9010
			34 RAL 5010

COMPLETE WITH VERTEBRATE BAR, 4-EDGE SHELF WITH PVC TOP, PAIR OF HANDLES, PAIR OF PLATES FOOTPRINT  
Overall dim. mm 788x599


**FLEXIBLE EXTRACTION DRAWERS**

ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*	Usable dim. mm	Front H mm	kg	
M 32 C050 0110 OF	M 32 C050 0100 OF	600x447x31 H	50	50 - 75 - 100	100% - 96% - 92%
M 32 C075 0110 OF	M 32 C075 0100 OF	600x447x56 H	75	50 - 75 - 100	100% - 96% - 92%
M 32 C100 0110 OF	M 32 C100 0100 OF	600x447x81 H	100	50 - 75 - 100	100% - 96% - 92%
M 32 C125 0110 OF	M 32 C125 0100 OF	600x447x106 H	125	50 - 75 - 100	100% - 96% - 92%
M 32 C150 0110 OF	M 32 C150 0100 OF	600x447x131 H	150	50 - 75 - 100	100% - 96% - 92%
M 32 C200 0110 OF	M 32 C200 0100 OF	600x447x181 H	200	50 - 75 - 100	100% - 96% - 92%
M 32 C250 0110 OF	M 32 C250 0100 OF	600x447x231 H	250	50 - 75 - 100	100% - 96% - 92%
M 32 C300 0110 OF	M 32 C300 0100 OF	600x447x281 H	300	50 - 75 - 100	100% - 96% - 92%

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW


**TELESCOPIC EXTRACTION DRAWERS**

ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*	Usable dim. mm	Front H mm	kg	
M 32 C075 0110 OT	M 32 C075 0100 OT	600x447x56 H	75	200	100%
M 32 C100 0110 OT	M 32 C100 0100 OT	600x447x81 H	100	200	100%
M 32 C125 0110 OT	M 32 C125 0100 OT	600x447x106 H	125	200	100%
M 32 C150 0110 OT	M 32 C150 0100 OT	600x447x131 H	150	200	100%
M 32 C200 0110 OT	M 32 C200 0100 OT	600x447x181 H	200	200	100%
M 32 C250 0110 OT	M 32 C250 0100 OT	600x447x231 H	250	200	100%
M 32 C300 0110 OT	M 32 C300 0100 OT	600x447x281 H	300	200	100%

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW

## PLASTIC PARTS KIT FOR EXTENSIBLE DRAWERS AND SHELVES



PLASTIC COLOURS	ART.
MEDITERRANEAN BLUE	M 30 PLS1 00 00 00 M1
SKY BLUE	M 30 PLS1 00 00 00 M2
GLAMOUR RED	M 30 PLS1 00 00 00 M3
RED CARPET	M 30 PLS1 00 00 00 M4
JUICY ORANGE	M 30 PLS1 00 00 00 M5
SUNNY YELLOW	M 30 PLS1 00 00 00 M6
FOREST GREEN	M 30 PLS1 00 00 00 M7

# MASTER

714x573 mm



## FLEXIBLE RETRACTABLE SHELVES

ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*	Usable dim. mm	Front H mm	kg	Extension
M 32 C057 0110 OF __	M 32 C057 0100 OF __	600x447	70	50 - 75 - 100	100% - 96% - 92%

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



## TELESCOPIC RETRACTABLE SHELVES

ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*	Usable dim. mm	Front H mm	kg	Extension
M 32 C057 0110 OT __	M 32 C057 0100 OT __	600x447	70	200	100%

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



## ADJUSTABLE SHELF

ART.	Usable dim. mm	Total H mm	kg	
M 32 PR25 00 00 01 __	657x478	60	150	

CAN BE FITTED FRONTALLY TO THE VERTEBRATE BAR

## PLASTIC PARTS KIT FOR EXTENSIBLE DRAWERS AND SHELVES



PLASTIC COLOURS	ART.
MEDITERRANEAN BLUE	M 30 PLS1 00 00 00 M1
SKY BLUE	M 30 PLS1 00 00 00 M2
GLAMOUR RED	M 30 PLS1 00 00 00 M3
RED CARPET	M 30 PLS1 00 00 00 M4
JUICY ORANGE	M 30 PLS1 00 00 00 M5
SUNNY YELLOW	M 30 PLS1 00 00 00 M6
FOREST GREEN	M 30 PLS1 00 00 00 M7



ART. M 32 A150 C0 14 NU 01

SEE PAGE 287

## Doors with cylinder

### Hinged doors total height - reversible

H Cabinet mm	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
600	<b>C0</b> KEY cylinder lock	M 30 P050 C0 10 00 __	M 30 P050 C0 00 00 __
	<b>C1</b> KEY cylinder lock	M 30 P050 C1 10 00 __	M 30 P050 C1 00 00 __
	<b>C2</b> KEY cylinder lock	M 30 P050 C2 10 00 __	M 30 P050 C2 00 00 __
700	<b>C0</b> KEY cylinder lock	M 30 P060 C0 10 00 __	M 30 P060 C0 00 00 __
	<b>C1</b> KEY cylinder lock	M 30 P060 C1 10 00 __	M 30 P060 C1 00 00 __
	<b>C2</b> KEY cylinder lock	M 30 P060 C2 10 00 __	M 30 P060 C2 00 00 __

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE RIGHT TABLE

### Pair of hinged doors total height

850	<b>C0</b> KEY cylinder lock	M 30 P075 C0 10 10 __	M 30 P075 C0 00 10 __
	<b>C1</b> KEY cylinder lock	M 30 P075 C1 10 10 __	M 30 P075 C1 00 10 __
	<b>C2</b> KEY cylinder lock	M 30 P075 C2 10 10 __	M 30 P075 C2 00 10 __
1000	<b>C0</b> KEY cylinder lock	M 30 P090 C0 10 10 __	M 30 P090 C0 00 10 __
	<b>C1</b> KEY cylinder lock	M 30 P090 C1 10 10 __	M 30 P090 C1 00 10 __
	<b>C2</b> KEY cylinder lock	M 30 P090 C2 10 10 __	M 30 P090 C2 00 10 __
1500	<b>C0</b> KEY cylinder lock	M 30 P140 C0 10 10 __	M 30 P140 C0 00 10 __
	<b>C1</b> KEY cylinder lock	M 30 P140 C1 10 10 __	M 30 P140 C1 00 10 __
	<b>C2</b> KEY cylinder lock	M 30 P140 C2 10 10 __	M 30 P140 C2 00 10 __
2000	<b>C0</b> KEY cylinder lock	M 30 P190 C0 10 10 __	M 30 P190 C0 00 10 __
	<b>C1</b> KEY cylinder lock	M 30 P190 C1 10 10 __	M 30 P190 C1 00 10 __
	<b>C2</b> KEY cylinder lock	M 30 P190 C2 10 10 __	M 30 P190 C2 00 10 __

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE RIGHT TABLE

LOCKS SEE  
PAGE 31



THE DOOR MUST BE ASSOCIATED WITH CABINETS WITH **C5** CLOSURE (WITHOUT LOCK)  
OR **X0** (WITHOUT VERTEBRATE BAR AND WITHOUT LOCK)

**HINGED DOORS PARTIAL HEIGHT - REVERSIBLE**

DOOR FOOTPRINT H mm	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
425	<b>C0</b> KEY cylinder lock	M 30 P042 C0 10 01 _ _	M 30 P042 C0 00 01 _ _
	<b>C1</b> KEY cylinder lock	M 30 P042 C1 10 01 _ _	M 30 P042 C1 00 01 _ _
	<b>C2</b> KEY cylinder lock	M 30 P042 C2 10 01 _ _	M 30 P042 C2 00 01 _ _
525	<b>C0</b> KEY cylinder lock	M 30 P052 C0 10 01 _ _	M 30 P052 C0 00 01 _ _
	<b>C1</b> KEY cylinder lock	M 30 P052 C1 10 01 _ _	M 30 P052 C1 00 01 _ _
	<b>C2</b> KEY cylinder lock	M 30 P052 C2 10 01 _ _	M 30 P052 C2 00 01 _ _
625	<b>C0</b> KEY cylinder lock	M 30 P062 C0 10 01 _ _	M 30 P062 C0 00 01 _ _
	<b>C1</b> KEY cylinder lock	M 30 P062 C1 10 01 _ _	M 30 P062 C1 00 01 _ _
	<b>C2</b> KEY cylinder lock	M 30 P062 C2 10 01 _ _	M 30 P062 C2 00 01 _ _


**LOCKS  
SEE PAGE 31**
\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW
**PAIR OF HINGED DOORS PARTIAL HEIGHT**


775	<b>C0</b> KEY cylinder lock	M 30 P077 C0 10 11 _ _	M 30 P077 C0 00 11 _ _
	<b>C1</b> KEY cylinder lock	M 30 P077 C1 10 11 _ _	M 30 P077 C1 00 11 _ _
	<b>C2</b> KEY cylinder lock	M 30 P077 C2 10 11 _ _	M 30 P077 C2 00 11 _ _

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW
**PLASTIC PARTS  
FOR SINGLE DOOR  
AND PAIR OF DOORS**


PLASTIC COLOURS	ART. FOR SINGLE DOOR	ART. FOR PAIR DOORS
MEDITERRANEAN BLUE	M 00 PLS0 00 00 20 M1	M 00 PLS0 00 00 30 M1
SKY BLUE	M 00 PLS0 00 00 20 M2	M 00 PLS0 00 00 30 M2
GLAMOUR RED	M 00 PLS0 00 00 20 M3	M 00 PLS0 00 00 30 M3
RED CARPET	M 00 PLS0 00 00 20 M4	M 00 PLS0 00 00 30 M4
JUICY ORANGE	M 00 PLS0 00 00 20 M5	M 00 PLS0 00 00 30 M5
SUNNY YELLOW	M 00 PLS0 00 00 20 M6	M 00 PLS0 00 00 30 M6
FOREST GREEN	M 00 PLS0 00 00 20 M7	M 00 PLS0 00 00 30 M7



## DOORS WITH NUMERICAL CODE



HINGED DOORS TOTAL HEIGHT - DOOR WITH RIGHT-HAND OPENING

H Cabinet mm	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
600		M 30 P050 P5 10 00 __	M 30 P050 P5 00 00 __
700		M 30 P060 P5 10 00 __	M 30 P060 P5 00 00 __

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



THE DOOR MUST BE ASSOCIATED WITH CABINETS WITH **C5** CLOSURE (WITHOUT LOCK)  
OR **X0** (WITHOUT VERTEBRATE BAR AND WITHOUT LOCK)



PARTIAL HEIGHT HINGED DOORS - REVERSIBLE

DOOR FOOTPRINT H mm	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
425	<b>A4</b> handle without keypad	M 30 P042 A4 10 01 __	M 30 P042 A4 00 01 __
525	<b>A4</b> handle without keypad	M 30 P052 A4 10 01 __	M 30 P052 A4 00 01 __
625	<b>A4</b> handle without keypad	M 30 P062 A4 10 01 __	M 30 P062 A4 00 01 __

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



THE DOOR MUST BE ASSOCIATED WITH CABINETS WITH THE FOLLOWING CLOSURES:  
USE THE **T2** LOCK FOR THE CABINET WITHOUT WHEELS  
USE THE **A1** LOCK FOR THE CABINET WITH WHEELS

## PLASTIC PARTS FOR SINGLE DOOR AND PAIR OF DOORS



PLASTIC COLOURS	ART. FOR SINGLE DOOR	ART. FOR PAIR DOORS
MEDITERRANEAN BLUE	M 00 PLS0 00 00 21M1	M 00 PLS0 00 00 31M1
SKY BLUE	M 00 PLS0 00 00 21M2	M 00 PLS0 00 00 31M2
GLAMOUR RED	M 00 PLS0 00 00 21M3	M 00 PLS0 00 00 31M3
RED CARPET	M 00 PLS0 00 00 21M4	M 00 PLS0 00 00 31M4
JUICY ORANGE	M 00 PLS0 00 00 21M5	M 00 PLS0 00 00 31M5
SUNNY YELLOW	M 00 PLS0 00 00 21M6	M 00 PLS0 00 00 31M6
FOREST GREEN	M 00 PLS0 00 00 21M7	M 00 PLS0 00 00 31M7

**PAIR OF HINGED DOORS TOTAL HEIGHT**


H Cabinet mm	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
850	 <b>P5</b> CODE numerical code	M 30 P075 P5 10 10 _ _	M 30 P075 P5 00 10 _ _
1000	 <b>P5</b> CODE numerical code	M 30 P090 P5 10 10 _ _	M 30 P090 P5 00 10 _ _
1500	 <b>P5</b> CODE numerical code	M 30 P140 P5 10 10 _ _	M 30 P140 P5 00 10 _ _
2000	 <b>P5</b> CODE numerical code	M 30 P190 P5 10 10 _ _	M 30 P190 P5 00 10 _ _

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE ON THE LEFT

PAIR OF DOORS MUST BE ASSOCIATED WITH CABINETS WITH **C5** CLOSURE (WITHOUT LOCK) OR **X0** CLOSURE (WITHOUT VERTEBRATE BAR AND WITHOUT LOCK)


**PAIR OF HINGED DOORS PARTIAL HEIGHT**

DOOR FOOTPRINT H mm	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
775	<b>A4</b> handle without keypad	M 30 P077 A4 10 11 _ _	M 30 P077 A4 00 11 _ _

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE ON THE LEFT

PAIR OF DOORS MUST BE ASSOCIATED WITH CABINETS WITH THE FOLLOWING CLOSURES:

USE THE **T2** LOCK FOR THE CABINET WITHOUT WHEELS

USE THE **A1** LOCK FOR THE CABINET WITH WHEELS

**LOCKS**  
SEE PAGE 31

**REMOTE CONTROL**


ART.

M 00 VRC0 00 00 00 00

Receiver module with  
remote control

M 00 VRC0 00 00 01 00

Additional Remote Control

## EMPTY CABINET WITH 2 SLIDING DOORS



CABINET WITH DOUBLE SLIDING DOORS WITHOUT VERTEBRATE BAR

H CABINET mm	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
850 (working dim. 750 mm)	<b>C0</b> KEY cylinder lock	M 32 D085 C0 10 0D __	M 32 D085 C0 00 0D __
	<b>C1</b> KEY cylinder lock	M 32 D085 C1 10 0D __	M 32 D085 C1 00 0D __
	<b>C2</b> KEY cylinder lock	M 32 D085 C2 10 0D __	M 32 D085 C2 00 0D __
1000 (working dim. 900 mm)	<b>C0</b> KEY cylinder lock	M 32 D100 C0 10 0D __	M 32 D100 C0 00 0D __
	<b>C1</b> KEY cylinder lock	M 32 D100 C1 10 0D __	M 32 D100 C1 00 0D __
	<b>C2</b> KEY cylinder lock	M 32 D100 C2 10 0D __	M 32 D100 C2 00 0D __
1500 (working dim. 1400 mm)	<b>C0</b> KEY cylinder lock	M 32 D150 C0 10 0D __	M 32 D150 C0 00 0D __
	<b>C1</b> KEY cylinder lock	M 32 D150 C1 10 0D __	M 32 D150 C1 00 0D __
	<b>C2</b> KEY cylinder lock	M 32 D150 C2 10 0D __	M 32 D150 C2 00 0D __
2000 (working dim. 1900 mm)	<b>C0</b> KEY cylinder lock	M 32 D200 C0 10 0D __	M 32 D200 C0 00 0D __
	<b>C1</b> KEY cylinder lock	M 32 D200 C1 10 0D __	M 32 D200 C1 00 0D __
	<b>C2</b> KEY cylinder lock	M 32 D200 C2 10 0D __	M 32 D200 C2 00 0D __


\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW

## PLASTIC PARTS FOR SLIDING DOORS



PLASTIC COLOURS	ART. 2 SLIDING DOORS	ART. 1 SLIDING DOOR
MEDITERRANEAN BLUE	M 00 PLS0 00 00 50 M1	M 00 PLS0 00 00 40 M1
SKY BLUE	M 00 PLS0 00 00 50 M2	M 00 PLS0 00 00 40 M2
GLAMOUR RED	M 00 PLS0 00 00 50 M3	M 00 PLS0 00 00 40 M3
RED CARPET	M 00 PLS0 00 00 50 M4	M 00 PLS0 00 00 40 M4
JUICY ORANGE	M 00 PLS0 00 00 50 M5	M 00 PLS0 00 00 40 M5
SUNNY YELLOW	M 00 PLS0 00 00 50 M6	M 00 PLS0 00 00 40 M6
FOREST GREEN	M 00 PLS0 00 00 50 M7	M 00 PLS0 00 00 40 M7

## EMPTY CABINET WITH 1 SLIDING DOOR



CABINET WITH SINGLE SLIDING DOOR WITHOUT VERTEBRATE BAR

H CABINET mm	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
850 (working dim. 750 mm)	<b>C0</b> KEY cylinder lock	M 32 D085 C0 10 OS __	M 32 D085 C0 00 OS __
	<b>C1</b> KEY cylinder lock	M 32 D085 C1 10 OS __	M 32 D085 C1 00 OS __
	<b>C2</b> KEY cylinder lock	M 32 D085 C2 10 OS __	M 32 D085 C2 00 OS __
1000 (working dim. 900 mm)	<b>C0</b> KEY cylinder lock	M 32 D100 C0 10 OS __	M 32 D100 C0 00 OS __
	<b>C1</b> KEY cylinder lock	M 32 D100 C1 10 OS __	M 32 D100 C1 00 OS __
	<b>C2</b> KEY cylinder lock	M 32 D100 C2 10 OS __	M 32 D100 C2 00 OS __


\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE ON THE LEFT

 Single door with right-hand closing only, only the left compartment is designed for the insertion of drawers and extensible shelves. The vertebrate shaft must be inserted in the presence of more than 2 drawers/extensible shelves for each compartment.



**CYLINDER LOCK**

TYPE OF CLOSURE	ART.
<b>C0</b> KEY cylinder lock	M 32 V000 C0 00 00 00
<b>C1</b> KEY cylinder lock	M 32 V000 C1 00 00 00
<b>C2</b> KEY cylinder lock	M 32 V000 C2 00 00 00



**VERTEBRATE BAR**

WORKING H (mm) FOR DRAWERS INSERTION	ART.
750	M 00 V075 00 00 00 00
900	M 00 V090 00 00 00 00
1400	M 00 V140 00 00 00 00
1900	M 00 V190 00 00 00 00



### 3-EDGE TOP SHELF

ART.	dim. mm	
<b>M 32 T023 AG 00 31 07</b>	714x573x23 H	

Pvc coated shelf for SINGLE CABINET. Black colour



### 3-EDGE TOP SHELF

ART.	dim. mm	
<b>M 32 T023 AG 00 32 07</b>	1428x573x23 H	

Pvc coated shelf for DOUBLE CABINET. Black colour

### 4-EDGE TOP SHELF

ART.	dim. mm	
<b>M 32 T023 AG 00 41 07</b>	714x573x23 H	

Pvc coated shelf for SINGLE CABINET. Black colour



**ART. M 00 T023 AG 00 F0 00**

CABINET TOP SHELF DRILLING FOR 4-EDGE SHELF FIXING



### MULTIPLEX TOP SHELF

ART.	dim. mm	
<b>M 32 T040 MU 00 01 00</b>	714x573x40 H	

For SINGLE CABINET




OIL-PROOF  
RUBBER  
FINISHING

### MDF TOP SHELF DIM. 714x573x32 mm H

ART.	finishes	for cabinet	
<b>M 32 T030 MD GM 2107</b>	1 side profile	RH or LH final	

MDF shelf with oil-proof top rubber coating. Black colour



MDF SHELF  
APPLICATION

### MDF TOP SHELF DIM. 714x573x32 mm H

ART.	finishes	for cabinet	
<b>M 32 T030 MD GM 1107</b>	-	central	

MDF shelf with oil-proof top rubber coating. Black colour



### MDF TOP SHELF DIM. 714x573x32 mm H

ART.	finishes	for cabinet	
<b>M 32 T030 MD GM 0107</b>	2 side profiles	single	

MDF shelf with oil-proof top rubber coating. Black colour



**ART. M 00 T030 MD 00 F0 00**

CABINET TOP SHELF DRILLING FOR MDF AND MULTIPLEX SHELF FIXING  
INCLUDING FIXING SCREWS



MULTIPLEX TOP SHELF FOR  
CABINET WITH WHEELS  
AVAILABLE ON REQUEST




**PERFORATED PANEL**

ART.		dim. mm
M 30 PA71 00 00 00 04		708x65x718 H

**HOOKS  
SEE PAGE 893**
**EXAMPLE FOR PERFORATED PANEL WITH HOOKS OR VISUAL BOX**


2 ART. FAXVBCH00600001  
1 ART. F BL 9541 00 00 (10 pz.)  
1 ART. C MV 10 019



2 ART. FAXVBCH00900001  
2 ART. FAXVBCH00600001  
2 ART. FAXVBCH00500001



2 ART. FAXVBCH00600001  
3 ART. FAXVBCH00500001



3 ART. FAXVBCH00600001  
1 ART. FAXVBCH00500001  
1 ART. FAXVBCH00400001



**ART. M 00 PA71 00 00 F0 00**  
MDF OR MULTIPLEX TOP SHELF DRILLING  
FOR PERFORATED PANEL FIXING –  
INCLUDING SCREWS




**ART. M 00 PA71 00 00 F1 00**  
DRILLED TOP SHELF WITH 3/4 EDGES FOR  
PERFORATED PANEL FIXING –  
INCLUDING SCREWS



**ART. M 00 PA71 00 00 F2 00**  
PRE-SETTING KIT FOR VISUAL BOX  
FIXING TO THE PERFORATED PANEL


**HEIGHT RAISING PLINTH 50 mm**

ART.		dim. mm
M 32 Z050 00 00 00 _ _		712x572x50 H


**HEIGHT RAISING PLINTH 100 mm**

ART.		dim. mm
M 32 Z100 00 00 00 _ _		712x572x100 H


**PLINTHS FOR FORK LIFT TRUCK – Black colour RAL 9005**

ART.		dim. mm
M 02 Z060 20 00 00 07	pair of plinths	200x569x60 H
M 30 Z060 21 00 00 07	facing piece	708x46x55 H


**PLINTHS FOR TRANSPALLET – Black colour RAL 9005**

ART.		dim. mm
M 32 Z100 10 00 00 07	plinth	712x569x100 H
M 30 Z100 11 00 00 07	facing piece	708x46x95 H

## STANDARD RUBBER FIXED WHEEL

ART.	Ø mm	cabinet capacity kg	C mm
<b>C RG BAC11 100</b>	100	105	128
<b>C RG BAC12 125</b>	125	180	155



## STANDARD RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	cabinet capacity kg	C mm
<b>C RG DAC11 100</b>	100	105	128
<b>C RG DAC12 125</b>	125	180	155



## NYLON FIXED WHEEL

ART.	Ø mm	cabinet capacity kg	C mm
<b>C RN BAD10 100</b>	100	255	128
<b>C RN BAD11 125</b>	125	420	155



## NYLON SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	cabinet capacity kg	C mm
<b>C RN DAD10 100</b>	100	255	128
<b>C RN DAD11 125</b>	125	420	155



# SPARE PARTS - FIXING

OTHER TYPES OF  
WHEELS SEE PAGE 33

## SPARE LOCK

**ART. M 00 CSR0 8800 00 00**

Spare lock with two keys



## SPARE KEY

**ART. M 00 CF00 0000 00 00**

Always specify the number indicated in the cylinder lock where you wish to replace the key



## MASTER KEY

**ART. M 00 PF.. 0000 00 00**

Available in 23 series, numbered from F 01 to F 23.

Master key series F 01

Master key series F 02

Master key series F ..

ART. M 00 PF01 00 00 00 00

ART. M 00 PF02 00 00 00 00

ART. M 00 PF.. 00 00 00 00

## CABINET-TO-CABINET FIXING SET

**ART. M 00 FISO 00 00 00 99**

Cabinet-to-cabinet fixing set with 4 screws complete with M8 nuts

**ART. M 00 SVRO 00 00 00 99**

Drilling and hardware for fixing two overlapping cabinets

## FLOOR FIXING SET



**ART. F AG 9200 00 99**

Pair of zinc-plated brackets for cabinet floor fixing

**ART. F AG 9204 00 99**

2 "HILTI" plugs for concrete floors ≥ to classes C20/25  
Recommended traction of the plug: 2.9 kN  
Plug diameter: Ø 6 mm



## SPARE HANDLE

**ART. M 00 PLS0 0000 22 MO**

Replacement door handle available in Dark Grey.



OTHER COLOURS  
ON REQUEST



THE CABINETS MUST BE FIXED TO A FLOOR OR WALL IF OVERLAPPING,  
THEY MUST BE FIXED EXCLUSIVELY TO WALLS AND THEIR CAPACITY DIVIDED BY TWO



# MASTER

714x573 mm

## Born To Be Extreme

**EMPTY CABINET** without vertebrate bar and without lock



H 400 mm  
Useful H 300 mm



H 600 mm  
Useful H 500 mm



H 700 mm  
Useful H 600 mm



H 800 mm  
Useful H 700 mm



H 850 mm  
Useful H 750 mm



M 32 A040 X0 10 00 \_ \_

M 32 A060 X0 10 00 \_ \_

M 32 A070 X0 10 00 \_ \_

M 32 A080 X0 10 00 \_ \_

M 32 A085 X0 10 00 \_ \_

## VERTEBRATE BAR



The vertebrate bar is composed of an extruded aluminum profile spaced at a 25 mm interval to allow the insertion of a spring to prevent tipping the cabinet. The anti-tilt rod comes complete with plastic accessories and the upper structure designed for use with either the cylinder lock or the electronic lock.

ART.	Working H (mm) for drawer insertion
M 00 V030 00 00 00 00	300
M 00 V050 00 00 00 00	500
M 00 V060 00 00 00 00	600
M 00 V070 00 00 00 00	700
M 00 V075 00 00 00 00	750
M 00 V090 00 00 00 00	900

ART.	Working H (mm) for drawer insertion
M 00 V105 00 00 00 00	1050
M 00 V122 00 00 00 00	1225
M 00 V140 00 00 00 00	1400
M 00 V152 00 00 00 00	1525
M 00 V190 00 00 00 00	1900

## CYLINDER LOCK (KEY)



CYLINDER LOCK CLOSURE COMPLETE WITH:

- 1 cylinder lock with 2 keys
- 1 steel wire with sheath
- 1 front pin assembly
- 1 back pin assembly

ART.	C0	CYLINDER LOCK WITH DIFFERENT NUMBERING
M 32 V000 C0 00 00 00	C0	CYLINDER LOCK WITH DIFFERENT NUMBERING
M 32 V000 C1 00 00 00	C1	CYLINDER LOCK FOR SETS OF 160 NUMBERS
M 32 V000 C2 00 00 00	C2	CYLINDER LOCK WITH SAME NUMBERING

## For Experts Only



H 1000 mm  
Useful H 900 mm



H 1500 mm  
Useful H 1400 mm



H 2000 mm  
Useful H 1900 mm



**M 32 A100 X0 10 00**

**M 32 A150 X0 10 00**

**M 32 A200 X0 10 00**

---



### NUMERICAL CODE LOCK



ART.

**M 32 V000 E2 00 00 00**

E2

BAR OPENING/CLOSING (battery power supply)

**M 32 V000 E5 00 00 00**

E5

BAR OPENING/CLOSING (mains power supply)

**M 32 V000 T2 00 00 00**

T2

DOOR + BAR OPENING/CLOSING (battery power supply)

**M 32 V000 T3 00 00 00**

T3

DOOR + BAR OPENING/CLOSING (mains power supply)

### ART. REMOTE CONTROL

**M 00 VRC0 00 00 00 00**

Receiver module with  
remote control



**M 00 VRC0 00 00 01 00**

Additional Remote Control

### SHELVES FOR LOCKS AND ADJUSTABLE SHELVES

#### TOP SHELF FOR LOCKS



ART.



Front H mm



**M 32 PS46 00 10 00**

46

150

Dim. mm 663x571x46 H

#### BOTTOM SHELF FOR LOCKS



ART.



Front H mm



**M 32 PS46 10 10 00**

46

150

Dim. mm 663x571x46 H

#### ADJUSTABLE SHELF



ART.



Total H mm



**M 32 PR25 00 00 01**

60

150

Usable dim. mm 657x478x60 H

#### SLOTTED ADJUSTABLE SHELF



ART.



Front H mm



**M 32 PR35 10 00 01**


35

300

Dim. mm 663x568x35 H

**36x27 EH**


# PARTITIONING MATERIAL



ART. for front height mm

**F FH 1005 15 00** 50 - 300


Set including: 5 partitions 4 grooves, 6 partitions 3 grooves, 20 plain partitions 36 mm, 20 plain partitions 47 mm, allen key tray 150x150 mm



ART. for front height mm

**F FH 1005 10 00** 50 - 300


Set including: 9 partitions 4 grooves, 3 partitions 3 grooves, 36 plain partitions 36 mm, 12 plain partitions 47 mm



ART. for front height mm

**F FH 1005 13 00** 50 - 300


Set including: 6 partitions 3 grooves, 6 partitions 2 grooves, 18 plain partitions 47 mm, 12 plain partitions 73 mm



ART. for front height mm

**F FH 1005 05 00** 50**F FH 1007 05 00** 75**F FH 1010 05 00** 100 - 125**F FH 1015 05 00** 150**F FH 1020 05 00** 200 - 250**F FH 1030 05 00** 300


Set including: 2 slotted partitions 455 mm, 3 plain partitions 200 mm



ART. for front height mm

**F FH 1005 03 00** 50**F FH 1007 03 00** 75**F FH 1010 03 00** 100 - 125**F FH 1015 03 00** 150**F FH 1020 03 00** 200 - 250


Set including: 3 slotted partitions 455 mm, 8 plain partitions 149 mm



ART. for front height mm

**F FH 1005 01 00** 50**F FH 1007 01 00** 75**F FH 1010 01 00** 100 - 125**F FH 1015 01 00** 150**F FH 1020 01 00** 200 - 250**F FH 1030 01 00** 300


Set including: 2 plain partitions 610 mm



ART. for front height mm

**F FH 1005 18 00** 50**F FH 1007 18 00** 75


Set including: 16 plastic boxes 75x75 mm, 8 plastic boxes 150x75 mm, 4 plastic boxes 150x150 mm



ART. for front height mm

**F FH 1005 09 00** 50**F FH 1007 09 00** 75**F FH 1010 09 00** 100 - 125

Set including: 12 plastic boxes 150x150 mm




ART. for front height mm

**F FH 1005 16 00** 50**F FH 1007 16 00** 75**F FH 1010 16 00** 100 - 125

Set including: 12 plastic boxes 150x75 mm, 6 plastic boxes 150x150 mm

## CONFIGURE A FAMI DRAWER WITH BETA TOOLS



### ART. F FH 1007 50 07





Drawer pre-setting kit for Beta thermoformed trays consisting of:  
no. 2 F HC 6071 00 07  
no. 3 F HC 6471 00 07  
no. 1 F HA 1141 00 99

1 unit = 1 Beta thermoformed tray (367x147 mm)

2 unit = 1 Beta thermoformed tray (367x294 mm)

4 unit = 1 Beta thermoformed tray (367x588 mm)

### EXAMPLES OF TERMOFORMED TRAY USE



# MASTER

1020x573 mm



## METAL COLOURS

	GREY RAL 7000 .01		GREEN RAL 6011 .02
	BLUE RAL 5012 .04		GREY RAL 7035 .08
	GREY WHITE RAL 9002 .1F		RUBY RED RAL 3003 .1G
	GENTIAN BLUE RAL 5010 .34		PURE WHITE RAL 9010 .35
	ANTHRACTITE GREY RAL 7016 .39		BLUE CAPRI RAL 5019 .48



## ● ART. M 52 A100 CO 10 BE 04

H = 1000 mm – 6 drawers

## PLASTIC COLOURS

	MEDITERRANEAN BLUE .M1	SKY BLUE .M2	GLAMOUR RED .M3
	JUICE ORANGE .M5	SUNNY YELLOW .M6	FOREST GREEN .M7

PARTITIONING MATERIAL SEE PAGE 135/379

DRAWER PRE-SETTING KIT SEE 136

CONFIGURE YOUR CABINET FROM PAGE 121

## KEY



SHELF/  
DRAWER  
CAPACITY



SHELF/  
DRAWER  
EXTENSION



CABINET  
CLOSURE



ALL INDICATED LOAD CAPACITY VALUES ARE NET AND REFER TO EVENLY DISTRIBUTED WEIGHTS

**H 400 mm**

**H 400 mm**


ART.					
<b>M 52 A040 C0 10 04 04</b>	50-75-100	100-96-92%	key		
<b>M 52 A040 E2 10 04 04</b>	50-75-100	100-96-92%	code		

ART.					
<b>M 52 A040 C0 10 02 04</b>	50-75-100	100-96-92%	key		
<b>M 52 A040 E2 10 02 04</b>	50-75-100	100-96-92%	code		

**H 700 mm**

**H 700 mm**


ART.					
<b>M 52 A070 C0 10 49 04</b>	50-75-100	100-96-92%	key		
<b>M 52 A070 C0 10 50 04</b>	200	100%	key		
<b>M 52 A070 E2 10 49 04</b>	50-75-100	100-96-92%	code		
<b>M 52 A070 E2 10 50 04</b>	200	100%	code		

ART.					
<b>M 52 A070 C0 10 31 04</b>	50-75-100	100-96-92%	key		
<b>M 52 A070 C0 10 51 04</b>	200	100%	key		
<b>M 52 A070 E2 10 31 04</b>	50-75-100	100-96-92%	code		
<b>M 52 A070 E2 10 51 04</b>	200	100%	code		

**H 800 mm**

**H 800 mm**


ART.					
<b>M 52 A080 C0 10 55 04</b>	50-75-100	100-96-92%	key		
<b>M 52 A080 E2 10 55 04</b>	50-75-100	100-96-92%	code		

ART.					
<b>M 52 A080 C0 10 54 04</b>	50-75-100	100-96-92%	key		
<b>M 52 A080 E2 10 54 04</b>	50-75-100	100-96-92%	code		

# MASTER

1020x573 mm

H 850 mm



ART.					
<b>M 52 A085 C0 10 88 04</b>	50-75-100	100-96-92%		key	
<b>M 52 A085 E2 10 88 04</b>	50-75-100	100-96-92%		code	

H 850 mm



ART.					
<b>M 52 A085 C0 10 AM 04</b>	50-75-100	100-96-92%		key	
<b>M 52 A085 C0 10 AN 04</b>	200	100%		key	
<b>M 52 A085 E2 10 AM 04</b>	50-75-100	100-96-92%		code	
<b>M 52 A085 E2 10 AN 04</b>	200	100%		code	

H 1000 mm



ART.					
<b>M 52 A100 C0 10 BE 04</b>	50-75-100	100-96-92%		key	
<b>M 52 A100 C0 10 BF 04</b>	200	100%		key	
<b>M 52 A100 E2 10 BE 04</b>	50-75-100	100-96-92%		code	
<b>M 52 A100 E2 10 BF 04</b>	200	100%		code	

H 1000 mm



ART.					
<b>M 52 A100 C0 10 AW 04</b>	50-75-100	100-96-92%		key	
<b>M 52 A100 C0 10 BH 04</b>	200	100%		key	
<b>M 52 A100 E2 10 AW 04</b>	50-75-100	100-96-92%		code	
<b>M 52 A100 E2 10 BH 04</b>	200	100%		code	

**H 1000 mm**

**H 1000 mm**


ART.					
<b>M 52 A100 C0 10 CN 04</b>	50-75-100	100-96-92%	key		
<b>M 52 A100 C0 10 CP 04</b>	200	100%	key		
<b>M 52 A100 E2 10 CN 04</b>	50-75-100	100-96-92%	code		
<b>M 52 A100 E2 10 CP 04</b>	200	100%	code		

ART.					
<b>M 52 A100 C5 10 CW 04</b>	50-75-100	100-96-92%	-		
<b>M 52 A100 C5 10 CX 04</b>	200	100%	-		

**H 1023 mm**

**H 1023 mm**


door 900 mm

depth 598 mm

ART.					
<b>M 52 A100 C0 10 BU 04</b>	50-75-100	100-96-92%	key		
<b>M 52 A100 C0 10 BV 04</b>	200	100%	key		
<b>M 52 A100 P5 10 BU 04</b>	50-75-100	100-96-92%	code		
<b>M 52 A100 P5 10 BV 04</b>	200	100%	code		

door 900 mm

depth 598 mm

ART.					
<b>M 52 A100 C0 10 CA 04</b>	50-75-100	100-96-92%	key		
<b>M 52 A100 C0 10 CB 04</b>	200	100%	key		
<b>M 52 A100 P5 10 CA 04</b>	50-75-100	100-96-92%	code		
<b>M 52 A100 P5 10 CB 04</b>	200	100%	code		

# MASTER

1020x573 mm

H 1500 mm



H 1500 mm



ART.	VELVET	kg	EXTENSION	LOCK
<b>M 52 A150 C0 10 FL 04</b>	50-75-100	100-96-92%	key	
<b>M 52 A150 C0 10 FM 04</b>	200	100%	key	
<b>M 52 A150 E2 10 FL 04</b>	50-75-100	100-96-92%	code	
<b>M 52 A150 E2 10 FM 04</b>	200	100%	code	

ART.	VELVET	kg	EXTENSION	LOCK
<b>M 52 A150 C0 10 FQ 04</b>	50-75-100	100-96-92%	key	
<b>M 52 A150 C0 10 FR 04</b>	200	100%	key	
<b>M 52 A150 E2 10 FQ 04</b>	50-75-100	100-96-92%	code	
<b>M 52 A150 E2 10 FR 04</b>	200	100%	code	

H 1500 mm



door 1400 mm

depth 598 mm

ART.	VELVET	kg	EXTENSION	LOCK
<b>M 52 A150 C0 10 LA 04</b>	50-75-100	100-96-92%	key	
<b>M 52 A150 C0 10 LB 04</b>	200	100%	key	
<b>M 52 A150 P5 10 LA 04</b>	50-75-100	100-96-92%	code	
<b>M 52 A150 P5 10 LB 04</b>	200	100%	code	

H 1500 mm



door 1400 mm

depth 598 mm

ART.	VELVET	kg	EXTENSION	LOCK
<b>M 52 A150 C0 10 LC 04</b>	50-75-100	100-96-92%	key	
<b>M 52 A150 C0 10 LD 04</b>	200	100%	key	
<b>M 52 A150 P5 10 LC 04</b>	50-75-100	100-96-92%	code	
<b>M 52 A150 P5 10 LD 04</b>	200	100%	code	

H 2000 mm



H 2000 mm



ART.	_UNLOCKED_	kg			
<b>M 52 A200 C0 10 FS 04</b>	50-75-100	100-96-92%	key		
<b>M 52 A200 C0 10 FT 04</b>	200	100%	key		
<b>M 52 A200 E2 10 FS 04</b>	50-75-100	100-96-92%	code		
<b>M 52 A200 E2 10 FT 04</b>	200	100%	code		

door 900 mm

depth 598 mm

ART.	_UNLOCKED_	kg			
<b>M 52 A200 C0 10 FY 04</b>	50-75-100	100-96-92%	key		
<b>M 52 A200 C0 10 FZ 04</b>	200	100%	key		
<b>M 52 A200 T2 10 FY 04</b>	50-75-100	100-96-92%	code		
<b>M 52 A200 T2 10 FZ 04</b>	200	100%	code		



H 2000 mm

door 1900 mm

depth 598 mm

ART.	_UNLOCKED_	kg			
<b>M 52 A200 C0 10 FW 04</b>	50-75-100	100-96-92%	key		
<b>M 52 A200 C0 10 FX 04</b>	200	100%	key		
<b>M 52 A200 P5 10 FW 04</b>	50-75-100	100-96-92%	code		
<b>M 52 A200 P5 10 FX 04</b>	200	100%	code		

# MASTER

2040x598 mm

H 873 mm

6 drawers




single door

ART.	kg	extension	closing
M 52 D085 C010 GJ 04	50-75-100	100-96-92%	key
M 52 D085 C010 GK 04	200	100%	key

H 1023 mm

7 drawers



single door

ART.	kg	extension	closing
M 52 D100 C010 GQ 04	50-75-100	100-96-92%	key
M 52 D100 C010 GR 04	200	100%	key



H 873 mm


2 drawers



ART.					
M52D085C010GL04	50-75-100	100-96-92%		key	double door
M52D085C010GM04	200	100%		key	

H 1023 mm

2 drawers



ART.					
M52D100C010GW04	50-75-100	100-96-92%		key	double door
M52D100C010GX04	200	100%		key	



# MASTER

2040x623 mm

H 1500 mm



double door

ART.



M 52 D150 C0 10 JE 04

50-75-100

100-96-92%

key

M 52 D150 C0 10 JF 04

200

100%

key

H 2000 mm



double door

ART.



M 52 D200 C0 10 JJ 04

50-75-100

100-96-92%

key

M 52 D200 C0 10 JK 04

200

100%

key



ART. M 52 D200 C0 10 PD FP

SEE PAGE 287

# MASTER

1094x599 mm

H 918 mm



5 drawers

ART.	€	kg	▼	🔒
<b>M 52 R070 SO 10 31 04</b>	50-75-100	100-96-92%	key	
<b>M 52 R070 P2 10 31 04</b>	50-75-100	100-96-92%	code	

Cabinet capacity 370 kg - Cabinet height without wheels mm 763

H 918 mm



6 drawers

ART.	€	kg	▼	🔒
<b>M 52 R070 SO 10 44 04</b>	50-75-100	100-96-92%	key	
<b>M 52 R070 P2 10 44 04</b>	50-75-100	100-96-92%	code	

Cabinet capacity 370 kg - Cabinet height without wheels mm 763

H 1068 mm



5 drawers

ART.	€	kg	▼	🔒
<b>M 52 R085 SO 10 AK 04</b>	50-75-100	100-96-92%	key	
<b>M 52 R085 P2 10 AK 04</b>	50-75-100	100-96-92%	code	

Cabinet capacity 370 kg - Cabinet height without wheels mm 913

H 1068 mm



6 drawers

ART.	€	kg	▼	🔒
<b>M 52 R085 SO 10 AM 04</b>	50-75-100	100-96-92%	key	
<b>M 52 R085 P2 10 AM 04</b>	50-75-100	100-96-92%	code	

Cabinet capacity 370 kg - Cabinet height without wheels mm 913



2 elastic swivel wheels with brake Ø 125 mm  
2 elastic rubber fixed wheels Ø 125 mm

H 1218 mm



H 1218 mm



ART.					
<b>M 52 R100 S0 10 CQ 04</b>		50-75-100	100-96-92%	key	
<b>M 52 R100 P2 10 CQ 04</b>		50-75-100	100-96-92%	code	

Cabinet capacity 370 kg - Cabinet height without wheels mm 1063

ART.					
<b>M 52 R100 S0 10 AW 04</b>		50-75-100	100-96-92%	key	
<b>M 52 R100 P2 10 AW 04</b>		50-75-100	100-96-92%	code	

Cabinet capacity 370 kg - Cabinet height without wheels mm 1063



### CONFIGURE YOUR CABINET

#### CABINET EMPTY



Cabinet load capacity 3100 kg

	CHOOSE a height	CHOOSE a closure	CHOOSE a colour
M52	A040	C5	10 00
			01
	HEIGHT	CLOSURE	COLOUR
M52	A040 400 mm (working dim. 300 mm)	X0 with no bar and no lock	01 RAL 7000
	A070 700 mm (working dim. 600 mm)	C5* no lock	02 RAL 6011
	A080 800 mm (working dim. 700 mm)	C0* KEY cylinder lock	1G RAL 3003
	A085 850 mm (working dim. 850 mm)	C1* KEY cylinder lock	1F RAL 9002
	A100 1000 mm (working dim. 900 mm)	C2* KEY cylinder lock	48 RAL 5019
	A150 1500 mm (working dim. 1400 mm)	E2* CODE numerical code	39 RAL 7016
	A200 2000 mm (working dim. 1900 mm)	T2* CODE numerical code	04 RAL 5012
			08 RAL 7035
			35 RAL 9010
			34 RAL 5010

\*COMPLETE WITH VERTEBRATE BAR

LOCKS SEE PAG. 31

#### CABINET EMPTY

ready  
for wheels



WHEELS  
SEE  
PAGE 33

	HEIGHT	CLOSURE	COLOUR
M52	R070 763 mm (working dim. 600 mm)	S0 KEY cylinder lock	01 RAL 7000
	R085 913 mm (working dim. 750 mm)	S1 KEY cylinder lock	02 RAL 6011
	R100 1063 mm (working dim. 900 mm)	S2 KEY cylinder lock	1G RAL 3003
		P2 CODE numerical code	1F RAL 9002
		A1 CODE numerical code	48 RAL 5019
			39 RAL 7016
			04 RAL 5012
			08 RAL 7035
			35 RAL 9010
			34 RAL 5010

COMPLETE WITH VERTEBRATE BAR, 4-EDGE SHELF WITH PVC TOP, PAIR OF HANDLES, PAIR OF PLATES FOOTPRINT  
Overall dim. mm 1094x599


**FLEXIBLE EXTRACTION DRAWERS**

ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*	Usable dim. mm	Front H mm	kg	
M 52 C050 0110 OF	M 52 C050 0100 OF	906x447x31 H	50	50 - 75 - 100	100% - 96% - 92%
M 52 C075 0110 OF	M 52 C075 0100 OF	906x447x56 H	75	50 - 75 - 100	100% - 96% - 92%
M 52 C100 0110 OF	M 52 C100 0100 OF	906x447x81 H	100	50 - 75 - 100	100% - 96% - 92%
M 52 C125 0110 OF	M 52 C125 0100 OF	906x447x106 H	125	50 - 75 - 100	100% - 96% - 92%
M 52 C150 0110 OF	M 52 C150 0100 OF	906x447x131 H	150	50 - 75 - 100	100% - 96% - 92%
M 52 C200 0110 OF	M 52 C200 0100 OF	906x447x181 H	200	50 - 75 - 100	100% - 96% - 92%
M 52 C250 0110 OF	M 52 C250 0100 OF	906x447x231 H	250	50 - 75 - 100	100% - 96% - 92%
M 52 C300 0110 OF	M 52 C300 0100 OF	906x447x281 H	300	50 - 75 - 100	100% - 96% - 92%

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW


**TELESCOPIC EXTRACTION DRAWERS**

ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*	Usable dim. mm	Front H mm	kg	
M 52 C075 0110 OT	M 52 C075 0100 OT	906x447x56 H	75	200	100%
M 52 C100 0110 OT	M 52 C100 0100 OT	906x447x81 H	100	200	100%
M 52 C125 0110 OT	M 52 C125 0100 OT	906x447x106 H	125	200	100%
M 52 C150 0110 OT	M 52 C150 0100 OT	906x447x131 H	150	200	100%
M 52 C200 0110 OT	M 52 C200 0100 OT	906x447x181 H	200	200	100%
M 52 C250 0110 OT	M 52 C250 0100 OT	906x447x231 H	250	200	100%
M 52 C300 0110 OT	M 52 C300 0100 OT	906x447x281 H	300	200	100%

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW

## PLASTIC PARTS KIT FOR EXTENSIBLE DRAWERS AND SHELVES



PLASTIC COLOURS	ART.
MEDITERRANEAN BLUE	M 50 PLS1 00 00 00 M1
SKY BLUE	M 50 PLS1 00 00 00 M2
GLAMOUR RED	M 50 PLS1 00 00 00 M3
RED CARPET	M 50 PLS1 00 00 00 M4
JUICY ORANGE	M 50 PLS1 00 00 00 M5
SUNNY YELLOW	M 50 PLS1 00 00 00 M6
FOREST GREEN	M 50 PLS1 00 00 00 M7

# MASTER

1020x573 mm



## FLEXIBLE RETRACTABLE SHELVES

ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*	Usable dim. mm	Front H mm	kg	Extension
M 52 C057 0110 OF __	M 52 C057 0100 OF __	906x447	70	50 - 75 - 100	100% - 96% - 92%

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



## TELESCOPIC RETRACTABLE SHELVES

ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*	Usable dim. mm	Front H mm	kg	Extension
M 52 C057 0110 OT __	M 52 C057 0100 OT __	906x447	70	200	100%

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW



## ADJUSTABLE SHELF

ART.	Usable dim. mm	Total H mm	kg	
M 52 PR25 00 00 01 __	963x478	60	100	

CAN BE FITTED FRONTALLY TO THE VERTEBRATE BAR

## PLASTIC PARTS KIT FOR EXTENSIBLE DRAWERS AND SHELVES



PLASTIC COLOURS	ART.
MEDITERRANEAN BLUE	M 50 PLS1 00 00 00 M1
SKY BLUE	M 50 PLS1 00 00 00 M2
GLAMOUR RED	M 50 PLS1 00 00 00 M3
RED CARPET	M 50 PLS1 00 00 00 M4
JUICY ORANGE	M 50 PLS1 00 00 00 M5
SUNNY YELLOW	M 50 PLS1 00 00 00 M6
FOREST GREEN	M 50 PLS1 00 00 00 M7



 **Doors with cylinder**
**PAIR OF WING DOORS TOTAL HEIGHT**

H CABINET mm	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
850	 <b>C0</b> KEY cylinder lock	M 50 P075 C0 10 10 _ _	M 50 P075 C0 00 10 _ _
	 <b>C1</b> KEY cylinder lock	M 50 P075 C1 10 10 _ _	M 50 P075 C1 00 10 _ _
	 <b>C2</b> KEY cylinder lock	M 50 P075 C2 10 10 _ _	M 50 P075 C2 00 10 _ _
1000	 <b>C0</b> KEY cylinder lock	M 50 P090 C0 10 10 _ _	M 50 P090 C0 00 10 _ _
	 <b>C1</b> KEY cylinder lock	M 50 P090 C1 10 10 _ _	M 50 P090 C1 00 10 _ _
	 <b>C2</b> KEY cylinder lock	M 50 P090 C2 10 10 _ _	M 50 P090 C2 00 10 _ _
1500	 <b>C0</b> KEY cylinder lock	M 50 P140 C0 10 10 _ _	M 50 P140 C0 00 10 _ _
	 <b>C1</b> KEY cylinder lock	M 50 P140 C1 10 10 _ _	M 50 P140 C1 00 10 _ _
	 <b>C2</b> KEY cylinder lock	M 50 P140 C2 10 10 _ _	M 50 P140 C2 00 10 _ _
2000	 <b>C0</b> KEY cylinder lock	M 50 P190 C0 10 10 _ _	M 50 P190 C0 00 10 _ _
	 <b>C1</b> KEY cylinder lock	M 50 P190 C1 10 10 _ _	M 50 P190 C1 00 10 _ _
	 <b>C2</b> KEY cylinder lock	M 50 P190 C2 10 10 _ _	M 50 P190 C2 00 10 _ _

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE ON THE RIGHT TABLE

 PAIR OF DOORS MUST BE ASSOCIATED WITH **C5** CLOSURE (WITHOUT LOCK) OR **X0** CLOSURE (WITHOUT VERTEBRATE BAR AND WITHOUT LOCK)
**PAIR OF WING DOORS PARTIAL HEIGHT**

DOOR FOOTPRINT H mm	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
775	 <b>C0</b> KEY cylinder lock	M 50 P077 C0 10 11 _ _	M 50 P077 C0 00 11 _ _
	 <b>C1</b> KEY cylinder lock	M 50 P077 C1 10 11 _ _	M 50 P077 C1 00 11 _ _
	 <b>C2</b> KEY cylinder lock	M 50 P077 C2 10 11 _ _	M 50 P077 C2 00 11 _ _

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE ON THE RIGHT TABLE

**LOCKS**  
SEE PAGE 31



# DOORS WITH NUMERICAL CODE

## PAIR OF WING DOORS TOTAL HEIGHT



H CABINET mm	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
850		<b>P5</b> CODE numerical code  M 50 P075 P5 10 10 _ _	M 50 P075 P5 00 10 _ _
1000		<b>P5</b> CODE numerical code  M 50 P090 P5 10 10 _ _	M 50 P090 P5 00 10 _ _
1500		<b>P5</b> CODE numerical code  M 50 P140 P5 10 10 _ _	M 50 P140 P5 00 10 _ _
2000		<b>P5</b> CODE numerical code  M 50 P190 P5 10 10 _ _	M 50 P190 P5 00 10 _ _

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW

PAIR OF DOORS MUST BE ASSOCIATED WITH CABINETS WITH **C5** CLOSURE (WITHOUT LOCK) OR **X0** CLOSURE (WITHOUT VERTEBRATE BAR AND WITHOUT LOCK)

## PAIR OF WING DOORS PARTIAL HEIGHT



DOOR FOOTPRINT H mm	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO Plastic kit*
775	<b>A4</b> handle without keypad  M 50 P077 A4 10 11 _ _	M 50 P077 A4 00 11 _ _	

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW

PAIR OF DOORS MUST BE ASSOCIATED WITH CABINETS WITH THE FOLLOWING CLOSURES:

USE THE **T2** LOCK FOR THE CABINET WITHOUT WHEELS

USE THE **A1** LOCK FOR THE CABINET WITH WHEELS

LOCKS  
SEE PAGE 31

## PLASTIC PARTS FOR PAIR OF DOORS



### REMOTE CONTROL



ART.	
M 00 VRC00000000	Receiver module with remote control
M 00 VRC000000100	Additional Remote Control

PLASTIC COLOURS	ART. KEY	ART. CODE
	M 00 PLS0 00 00 30 M1	M 00 PLS0 00 00 31 M1
	M 00 PLS0 00 00 30 M2	M 00 PLS0 00 00 31 M2
	M 00 PLS0 00 00 30 M3	M 00 PLS0 00 00 31 M3
	M 00 PLS0 00 00 30 M4	M 00 PLS0 00 00 31 M4
	M 00 PLS0 00 00 30 M5	M 00 PLS0 00 00 31 M5
	M 00 PLS0 00 00 30 M6	M 00 PLS0 00 00 31 M6
	M 00 PLS0 00 00 30 M7	M 00 PLS0 00 00 31 M7

## EMPTY CABINET




## WITH 2 SLIDING DOORS

CABINET WITH DOUBLE SLIDING DOOR WITHOUT VERTEBRATE BAR

H CABINET mm	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO plastic kit*
850 (working dim. 750 mm)	<b>C0</b> KEY cylinder lock	M 52 D085 C0 10 0D ...	M 52 D085 C0 00 0D ...
	<b>C1</b> KEY cylinder lock	M 52 D085 C1 10 0D ...	M 52 D085 C1 00 0D ...
	<b>C2</b> KEY cylinder lock	M 52 D085 C2 10 0D ...	M 52 D085 C2 00 0D ...
1000 (working dim. 900 mm)	<b>C0</b> KEY cylinder lock	M 52 D100 C0 10 0D ...	M 52 D100 C0 00 0D ...
	<b>C1</b> KEY cylinder lock	M 52 D100 C1 10 0D ...	M 52 D100 C1 00 0D ...
	<b>C2</b> KEY cylinder lock	M 52 D100 C2 10 0D ...	M 52 D100 C2 00 0D ...
1500 (working dim. 1400 mm)	<b>C0</b> KEY cylinder lock	M 52 D150 C0 10 0D ...	M 52 D150 C0 00 0D ...
	<b>C1</b> KEY cylinder lock	M 52 D150 C1 10 0D ...	M 52 D150 C1 00 0D ...
	<b>C2</b> KEY cylinder lock	M 52 D150 C2 10 0D ...	M 52 D150 C2 00 0D ...
2000 (working dim. 1900 mm)	<b>C0</b> KEY cylinder lock	M 52 D200 C0 10 0D ...	M 52 D200 C0 00 0D ...
	<b>C1</b> KEY cylinder lock	M 52 D200 C1 10 0D ...	M 52 D200 C1 00 0D ...
	<b>C2</b> KEY cylinder lock	M 52 D200 C2 10 0D ...	M 52 D200 C2 00 0D ...

\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE BELOW

PLASTIC PARTS  
FOR SLIDING DOORS

PLASTIC COLOURS	ART. 2 SLIDING DOORS	ART. 1 SLIDING DOOR
MEDITERRANEAN BLUE	M 00 PLS0 00 00 50 M1	M 00 PLS0 00 00 40 M1
SKY BLUE	M 00 PLS0 00 00 50 M2	M 00 PLS0 00 00 40 M2
GLAMOUR RED	M 00 PLS0 00 00 50 M3	M 00 PLS0 00 00 40 M3
RED CARPET	M 00 PLS0 00 00 50 M4	M 00 PLS0 00 00 40 M4
JUICY ORANGE	M 00 PLS0 00 00 50 M5	M 00 PLS0 00 00 40 M5
SUNNY YELLOW	M 00 PLS0 00 00 50 M6	M 00 PLS0 00 00 40 M6
FOREST GREEN	M 00 PLS0 00 00 50 M7	M 00 PLS0 00 00 40 M7

## EMPTY CABINET



## WITH 1 SLIDING DOOR

CABINET WITH SINGLE SLIDING DOOR WITHOUT VERTEBRATE BAR

H CABINET mm	TYPE OF CLOSURE	ART. WITH Dark Grey plastic kit	ART. NO plastic kit*
850 (working dim. 750 mm)	<b>C0</b> KEY cylinder lock	M 52 D085 C0 10 OS __	M 52 D085 C0 00 OS __
	<b>C1</b> KEY cylinder lock	M 52 D085 C1 10 OS __	M 52 D085 C1 00 OS __
	<b>C2</b> KEY cylinder lock	M 52 D085 C2 10 OS __	M 52 D085 C2 00 OS __
1000 (working dim. 900 mm)	<b>C0</b> KEY cylinder lock	M 52 D100 C0 10 OS __	M 52 D100 C0 00 OS __
	<b>C1</b> KEY cylinder lock	M 52 D100 C1 10 OS __	M 52 D100 C1 00 OS __
	<b>C2</b> KEY cylinder lock	M 52 D100 C2 10 OS __	M 52 D100 C2 00 OS __


\*MATCH THE ITEM NUMBER TO ONE OF THE PLASTIC KITS AVAILABLE IN THE TABLE ON THE LEFT

Single door with right-hand closing only. Only the left compartment is designed for the insertion of drawers and extensible shelves. The vertebrate shaft must be inserted in the presence of more than 2 drawers/extensible shelves for each compartment.



**CYLINDER LOCK**

TYPE OF CLOSURE	ART.
<b>C0</b> KEY cylinder lock	M 52 V000 C0 00 00 00
<b>C1</b> KEY cylinder lock	M 52 V000 C1 00 00 00
<b>C2</b> KEY cylinder lock	M 52 V000 C2 00 00 00



**VERTEBRATE BAR**

WORKING H (mm) FOR DRAWER INSERTION	ART.
750	M 00 V075 00 00 00 00
900	M 00 V090 00 00 00 00
1400	M 00 V140 00 00 00 00
1900	M 00 V190 00 00 00 00

# MASTER

1020x573 mm



## 3-EDGE TOP SHELF

ART.	dim. mm
<b>M 52 T023 AG 00 31 07</b>	1020x573x23 H

Pvc coated shelf for SINGLE CABINET. Black colour



## 4-EDGE TOP SHELF

ART.	dim. mm
<b>M 52 T023 AG 00 41 07</b>	1020x573x23 H

Pvc coated shelf for SINGLE CABINET. Black colour



**ART. M 00 T023 AG 00 FO 00**  
CABINET TOP SHELF DRILLING FOR 4-EDGE SHELF FIXING



## MULTIPLEX TOP SHELF

ART.	dim. mm
<b>M 52 T040 MU 00 01 00</b>	1020x573x40 H

For SINGLE CABINET



## MDF TOP SHELF DIM. 1020x573x32 mm H

ART.	finishes	for cabinet
<b>M 52 T030 MD GM 2107</b>	1 side profile	RH or LH final

MDF shelf with oil-proof top rubber coating. Black colour



OIL-PROOF  
RUBBER  
FINISHING



## MDF TOP SHELF DIM. 1020x573x32 mm H

ART.	finishes	for cabinet
<b>M 52 T030 MD GM 1107</b>	-	central

MDF shelf with oil-proof top rubber coating. Black colour



## MDF TOP SHELF DIM. 1020x573x32 mm H

ART.	finishes	for cabinet
<b>M 52 T030 MD GM 0107</b>	2 side profiles	single

MDF shelf with oil-proof top rubber coating. Black colour



**ART. M 00 T030 MD 00 FO 00**  
CABINET TOP SHELF DRILLING FOR MDF AND MULTIPLEX SHELF FIXING  
INCLUDING FIXING SCREWS



**MULTIPLEX TOP SHELF FOR  
CABINET WITH WHEELS**  
AVAILABLE ON REQUEST




**HEIGHT RAISING PLINTH 50 mm**

ART.	dim. mm
M 52 Z050 00 00 00 _ _	1018x572x50 H


**HEIGHT RAISING PLINTH 100 mm**

ART.	dim. mm
M 52 Z100 00 00 00 _ _	1018x572x100 H


**PLINTHS FOR FORK LIFT TRUCK - Black colour RAL 9005**

ART.	dim. mm
M 02 Z060 20 00 00 07	pair of plinths 200x569x60 H
M 50 Z060 21 00 00 07	facing piece 1014x46x55 H



ART.	dim. mm
M 02 Z100 20 00 00 07	pair of plinths 200x569x100 H
M 50 Z100 21 00 00 07	facing piece 1014x46x95 H



# MASTER

## 1020x573 mm

### ELASTIC RUBBER FIXED WHEEL

ART.	Ø mm	cabinet capacity kg	C mm
<b>C RG BCE15 125</b>	125	370	155
<b>C RG BCE15 160</b>	160	600	200



### ELASTIC RUBBER SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	cabinet capacity kg	C mm
<b>C RG DCE15 125</b>	125	370	155
<b>C RG DCE15 160</b>	160	600	200



### NYLON FIXED WHEEL

ART.	Ø mm	cabinet capacity kg	C mm
<b>C RN BAD10 100</b>	100	205	128
<b>C RN BAD11 125</b>	125	370	155



### NYLON SWIVEL WHEEL WITH BRAKE

ART.	Ø mm	cabinet capacity kg	C mm
<b>C RN DAD10 100</b>	100	205	128
<b>C RN DAD11 125</b>	125	370	155



## SPARE PARTS - FIXING

OTHER TYPES OF  
WHEELS SEE PAGE 33

### SPARE LOCK

**ART. M 00 CSR0 8800 00 00**

Spare lock with two keys



### SPARE KEY

**ART. M 00 CF00 0000 00 00**

Always specify the number indicated in the cylinder lock where you wish to replace the key



### MASTER KEY

**ART. M 00 PF.. 0000 00 00**

Available in 23 series, numbered from F 01 to F 23.

Master key series F 01

Master key series F 02

Master key series F ..

ART. M 00 PF01 00 00 00 00

ART. M 00 PF02 00 00 00 00

ART. M 00 PF.. 00 00 00 00

### CABINET-TO-CABINET FIXING SET

**ART. M 00 FISO 00 00 00 99**

Cabinet-to-cabinet fixing set with 4 screws complete with M8 nuts

**ART. M 00 SVRO 00 00 00 99**

Drilling and hardware for fixing two overlapping cabinets

### FLOOR FIXING SET



**ART. F AG 9200 00 99**

Pair of zinc-plated brackets for cabinet floor fixing

**ART. F AG 9204 00 99**

2 "HILTI" plugs for concrete floors ≥ to classes C20/25  
Recommended traction of the plug: 2.9 kN  
Plug diameter: Ø 6 mm



### SPARE HANDLE

**ART. M 00 PLS0 0000 22 MO**

Replacement door handle available in Dark Grey.



OTHER COLOURS  
ON REQUEST



THE CABINETS MUST BE FIXED TO A FLOOR OR WALL IF OVERLAPPING,  
THEY MUST BE FIXED EXCLUSIVELY TO WALLS AND THEIR CAPACITY DIVIDED BY TWO



# MASTER

1020x573 mm

Born To Be Extreme

**EMPTY CABINET** without vertebrate bar and without lock



H 400 mm  
Useful H 300 mm



H 700 mm  
Useful H 600 mm



H 800 mm  
Useful H 700 mm



H 850 mm  
Useful H 750 mm



M 52 A040 X0 10 00 \_ \_

M 52 A070 X0 10 00 \_ \_

M 52 A080 X0 10 00 \_ \_

M 52 A085 X0 10 00 \_ \_

## VERTEBRATE BAR



The vertebrate bar is composed of an extruded aluminum profile spaced at a 25 mm interval to allow the insertion of a spring to prevent tipping the cabinet. The anti-tilt rod comes complete with plastic accessories and the upper structure designed for use with either the cylinder lock or the electronic lock.

ART.	Working H (mm) for drawer insertion
M 00 V030 00 00 00 00	300
M 00 V050 00 00 00 00	500
M 00 V060 00 00 00 00	600
M 00 V070 00 00 00 00	700
M 00 V075 00 00 00 00	750
M 00 V090 00 00 00 00	900

ART.	Working H (mm) for drawer insertion
M 00 V105 00 00 00 00	1050
M 00 V122 00 00 00 00	1225
M 00 V140 00 00 00 00	1400
M 00 V152 00 00 00 00	1525
M 00 V190 00 00 00 00	1900

## CYLINDER LOCK (KEY)



CYLINDER LOCK CLOSURE COMPLETE WITH:

- 1 cylinder lock with 2 keys
- 1 steel wire with sheath
- 1 front pin assembly
- 1 back pin assembly

ART.		
M 52 V000 C0 00 00 00	C0	CYLINDER LOCK WITH DIFFERENT NUMBERING
M 52 V000 C1 00 00 00	C1	CYLINDER LOCK FOR SETS OF 160 NUMBERS
M 52 V000 C2 00 00 00	C2	CYLINDER LOCK WITH SAME NUMBERING

## For Experts Only



H 1000 mm  
Useful H 900 mm



H 1500 mm  
Useful H 1400 mm



H 2000 mm  
Useful H 1900 mm

**M 52 A100 X0 10 00 \_ \_**

**M 52 A150 X0 10 00 \_ \_**

**M 52 A200 X0 10 00 \_ \_**

### NUMERICAL CODE LOCK



ART.

**M 52 V000 E2 00 00 00**

**E2** BAR OPENING/CLOSING (battery power supply)

**M 52 V000 E5 00 00 00**

**E5** BAR OPENING/CLOSING (mains power supply)

**M 52 V000 T2 00 00 00**

**T2** DOOR + BAR OPENING/CLOSING (battery power supply)

**M 52 V000 T3 00 00 00**

**T3** DOOR + BAR OPENING/CLOSING (mains power supply)

### ART. REMOTE CONTROL

**M 00 VRC0 00 00 00 00**

Receiver module with  
remote control



**M 00 VRC0 00 00 01 00**

Additional Remote Control

### SHELVES FOR LOCKS AND ADJUSTABLE SHELVES

#### TOP SHELF FOR LOCKS



ART.



Front H mm



kg

**M 52 PS46 00 10 00 \_ \_**

46

150

Dim. mm 969x571x46 H

#### BOTTOM SHELF FOR LOCKS



ART.



Front H mm



kg

**M 52 PS46 10 10 00 \_ \_**

46

150

Dim. mm 969x571x46 H

#### ADJUSTABLE SHELF



ART.



Total H mm



kg

**M 52 PR25 00 00 01 \_ \_**

60

100

Usable dim. mm 963x478x60 H

#### SLOTTED ADJUSTABLE SHELF



ART.



Front H mm



kg




**M 52 PR35 10 00 01 \_ \_**

35

300

Dim. mm 969x568x35 H




# PARTITIONING MATERIAL



ART.	for front height mm
<b>F FH 4005 12 00</b>	50 - 300
Set including: 6 partitions 4 grooves, 6 partitions 3 grooves, 6 partitions 2 grooves, 15 plain partitions 36 mm, 10 plain partitions 47 mm, 6 plain partitions 73 mm	

ART.	for front height mm
<b>F FH 4005 15 00</b>	50 - 300
Set including: 12 partitions 4 grooves, 6 partitions 3 grooves, 30 plain partitions 36 mm, 10 plain partitions 47 mm	




ART.	for front height mm
<b>F FH 4005 01 00</b>	50
<b>F FH 4007 01 00</b>	75
<b>F FH 4010 01 00</b>	100 - 125
<b>F FH 4015 01 00</b>	150
<b>F FH 4020 01 00</b>	200 - 250
<b>F FH 4030 01 00</b>	300
Set including: 2 plain partitions 914 mm	



ART.	for front height mm
<b>F FH 4005 03 00</b>	50
<b>F FH 4007 03 00</b>	75
<b>F FH 4010 03 00</b>	100 - 125
<b>F FH 4015 03 00</b>	150
<b>F FH 4020 03 00</b>	200 - 250
Set including: 5 slotted partitions 455 mm, 12 plain partitions 149 mm	

ART.	for front height mm
<b>F FH 4005 04 00</b>	50
<b>F FH 4007 04 00</b>	75
<b>F FH 4010 04 00</b>	100 - 125
<b>F FH 4015 04 00</b>	150
<b>F FH 4020 04 00</b>	200 - 250
Set including: 4 plain partitions 455 mm	

ART.	for front height mm
<b>F FH 4005 05 00</b>	50
<b>F FH 4007 05 00</b>	75
<b>F FH 4010 05 00</b>	100 - 125
<b>F FH 4015 05 00</b>	150
<b>F FH 4020 05 00</b>	200 - 250
Set including: 4 slotted partitions 455 mm, 2 plain partitions 149 mm, 3 plain partitions 200 mm	




ART.	for front height mm
<b>F FH 4005 11 00</b>	50
<b>F FH 4007 11 00</b>	75
<b>F FH 4010 11 00</b>	100 - 125
Set including: 18 plastic boxes 150x150 mm	

ART.	for front height mm
<b>F FH 4005 13 00</b>	50
<b>F FH 4007 13 00</b>	75
<b>F FH 4010 13 00</b>	100 - 125
Set including: 12 plastic boxes 150x75 mm, 12 plastic boxes 150x150 mm	

ART.	for front height mm
<b>F FH 4005 16 00</b>	50
<b>F FH 4007 16 00</b>	75
Set including: 20 plastic boxes 75x75 mm, 14 plastic boxes 150x75 mm, 6 plastic boxes 150x150 mm	

## CONFIGURE A FAMI DRAWER WITH BETA TOOLS



1 unit = 1 Beta thermoformed tray (367x147 mm)

2 unit = 1 Beta thermoformed tray (367x294 mm)

4 unit = 1 Beta thermoformed tray (367x588 mm)

### ART. F FH 4007 50 07

Drawer pre-setting kit for Beta thermoformed trays consisting of:


no. 4 F HC 6071 00 07

no. 4 F HC 6471 00 07


no. 1 F HA 2150 00 99




## EXAMPLES OF TERMOFORMED TRAY USE




1 unit | 1 unit




2 unit | 1 unit | 1 unit | 1 unit | 1 unit




2 unit | 2 unit | 1 unit | 1 unit



2 unit | 2 unit | 2 unit



4 unit | 1 unit | 1 unit



4 unit | 2 unit